

US00D533163S

(12) **United States Design Patent** (10) **Patent No.:** **US D533,163 S**
Takase et al. (45) **Date of Patent:** **** Dec. 5, 2006**

(54) **SPEAKER**

(75) Inventors: **Tomoyasu Takase**, Hisai (JP);
Kazutaka Kubo, Matsusaka (JP);
Kazuya Yamasaki, Neyagawa (JP);
Mitsutaka Enomoto, Matsusaka (JP)

(73) Assignee: **Matsushita Electric Industrial Co., Ltd.**, Osaka (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/231,365**

(22) Filed: **Jun. 2, 2005**

(30) **Foreign Application Priority Data**

Jan. 27, 2005 (JP) 2005-002107

(51) **LOC (8) Cl.** **14-01**

(52) **U.S. Cl.** **D14/215**

(58) **Field of Classification Search** D14/204,
D14/207, 209–216, 356; 181/143–144, 147–148,
181/150, 157, 198–199, 151, 153; 381/300–302,
381/306, 333, 345, 361–364, 386–388, 332,
381/336

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D272,343 S * 1/1984 Matsubara D14/214

4,582,162 A * 4/1986 Katsuno 181/141
D436,096 S * 1/2001 Nagele et al. D14/214
D469,421 S * 1/2003 Stickles et al. D14/204
D472,887 S * 4/2003 Right et al. D14/214

FOREIGN PATENT DOCUMENTS

JP D1066420 4/2000
JP D1142208 5/2002
JP D1143443 6/2002

* cited by examiner

Primary Examiner—Nanda Bondade

(74) *Attorney, Agent, or Firm*—Brinks Hofer Gilson & Lione

(57) **CLAIM**

We claim the ornamental design for a speaker, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view of a speaker of the present invention;

FIG. 2 is a bottom perspective view thereof;

FIG. 3 is a top view thereof;

FIG. 4 is a first side view thereof;

FIG. 5 is a second side view thereof;

FIG. 6 is a rear view thereof;

FIG. 7 is a front view thereof; and,

FIG. 8 is a bottom view thereof.

1 Claim, 3 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG.4




FIG.5




FIG.6




FIG.7




FIG. 8

