



US00D533174S

(12) **United States Design Patent**
Richter

(10) **Patent No.:** **US D533,174 S**

(45) **Date of Patent:** **** Dec. 5, 2006**

(54) **INSTRUMENT SUPPORT HOLDER**

(76) **Inventor:** **Harald Richter**, Höhenstrasse 32,
75331 Engelbrand (DE)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/213,377**

(22) **Filed:** **Sep. 16, 2004**

(51) **LOC (8) Cl.** **14-03**

(52) **U.S. Cl.** **D14/251**

(58) **Field of Classification Search** D14/146,
D14/224, 251, 252, 253, 434, 447; D6/553;
D8/350; D12/400, 415; D13/108, 177; D16/242;
248/160, 205.8, 206.2, 274.1, 371, 917; 379/454,
379/455; 455/575.1, 575.2, 575.6, 575.9,
455/90.3

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

599,543	A	*	2/1898	Whitaker	248/160
2,481,271	A	*	9/1949	Wiley	379/455
D269,945	S	*	8/1983	Carney	D8/355
4,836,485	A	*	6/1989	Cooper	248/278.1
D309,307	S	*	7/1990	Sigurdson	D14/251
D332,789	S	*	1/1993	Rak	D14/251
5,187,744	A	*	2/1993	Richter	379/449
D337,333	S	*	7/1993	Turk	D14/251
D388,762	S	*	1/1998	Nagy	D12/415
5,740,995	A	*	4/1998	Richter	248/220.21
D395,892	S	*	7/1998	Solomon	D14/224
D400,735	S	*	11/1998	House et al.	D6/466
D419,415	S	*	1/2000	Richter	D8/71

D423,821	S	*	5/2000	Crump	D6/466
D487,270	S	*	3/2004	Richter	D14/447
6,749,160	B1	*	6/2004	Richter	248/206.2
6,827,318	B1	*	12/2004	Hsu Li	248/160
6,840,485	B1	*	1/2005	Richter	248/311.2
6,997,422	B1	*	2/2006	Sweere et al.	248/123.11
7,007,908	B1	*	3/2006	Tsay	248/309.3
2003/0205651	A1	*	11/2003	Richter	248/231.81
2004/0011932	A1	*	1/2004	Duff	248/157
2004/0155164	A1	*	8/2004	Richter	248/274.1
2005/0006542	A1	*	1/2005	Henning et al.	248/274.1
2005/0092875	A1	*	5/2005	Carnevali	248/160
2005/0092877	A1	*	5/2005	Carnevali	248/160

* cited by examiner

Primary Examiner—Ian Simmons
Assistant Examiner—Carla Jobe Wright
(74) *Attorney, Agent, or Firm*—Klaus J. Bach


(57) **CLAIM**

The ornamental design for an instrument support holder, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an instrument support holder; FIG. 2 is a perspective view of the instrument support holder showing the instrument support holder from the opposite side; FIG. 3 is a bottom end view of the suction cup portion only of the instrument support holder, the bottom portions of the other features not being part of the claimed design; and, FIG. 4 is a top end view of the instrument support holder as shown in FIGS. 1 and 2.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4