



US00D533236S

(12) **United States Design Patent**
Huang

(10) **Patent No.:** **US D533,236 S**

(45) **Date of Patent:** **** Dec. 5, 2006**

(54) **DEVICE FOR STRUCTURE ADJUSTING**

(76) **Inventor:** **Pang-Zung Huang**, No. 48-6,
Tianshuei E St., Situn District, Taichung
City 407 (TW)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/230,813**

(22) **Filed:** **May 27, 2005**

(51) **LOC (8) Cl.** **21-02**

(52) **U.S. Cl.** **D21/688**

(58) **Field of Classification Search** D21/662,
D21/671, 686, 688, 689; 482/79, 80, 146,
482/147

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- 4,270,749 A * 6/1981 Hebern 482/80
- 4,694,684 A * 9/1987 Campbell, III 73/65.07
- 5,040,786 A * 8/1991 Jou 482/128
- 5,242,340 A * 9/1993 Jerome 482/52

- D383,510 S * 9/1997 Bernardson D21/688
- 5,921,899 A * 7/1999 Rose 482/112
- 6,176,817 B1 * 1/2001 Carey et al. 482/146
- 6,692,419 B1 * 2/2004 Chen 482/146

* cited by examiner

Primary Examiner—Philip S. Hyder

(74) *Attorney, Agent, or Firm*—Rosenberg, Klein & Lee


(57) **CLAIM**

The ornamental design for a device for structure adjusting,
as shown.

DESCRIPTION

FIG. 1 is a perspective view of a device for structure
adjusting showing my design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left side view thereof;
FIG. 5 is a right side view thereof;
FIG. 6 is a top rear perspective view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 7 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7