



US00D533434S

(12) **United States Design Patent** (10) **Patent No.:** **US D533,434 S**
Riblett et al. (45) **Date of Patent:** **** Dec. 12, 2006**

(54) **DRAW LATCH**

D362,413 S 9/1995 Takimoto

(75) Inventors: **Allen Riblett**, Ardentown, DE (US);
Stefan M. Koveal, Glen Mills, PA (US)

(Continued)

FOREIGN PATENT DOCUMENTS

(73) Assignee: **Southco, Inc.**, Concordville, PA (US)

JP 5-32650 4/1993

(**) Term: **14 Years**

JP 6-240938 8/1994

(21) Appl. No.: **29/203,576**

JP 6-240940 8/1994

(22) Filed: **Apr. 16, 2004**

JP 7-58015 6/1995

(51) **LOC (8) Cl.** **08-07**

JP 936704 10/1995

(52) **U.S. Cl.** **D8/331; D8/343**

JP 8-121002 5/1996

(58) **Field of Classification Search** D8/330,
D8/331, 339, 341, 343, 301, 302; 70/14,
70/51, 52, 69-76, 110, 111, 164, 137, 240,
70/141, DIG. 80, 241; 292/95, 129, 283,
292/300, 358, 359, DIG. 14
See application file for complete search history.

JP 979648 4/1997

JP 979654 4/1997

KR 20-0205785 9/2000

KR 30-0275042 3/2001

OTHER PUBLICATIONS

1996 Takigen Catalog, version 15-3, p. 871.

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Paul & Paul

(56) **References Cited**

(57) **CLAIM**

The ornamental design for a draw latch, as shown and described.


U.S. PATENT DOCUMENTS

DESCRIPTION

- 1,024,054 A 4/1912 Barnes
- 1,503,462 A 8/1924 Albert
- 1,521,082 A 12/1924 Duggan
- 1,603,418 A 10/1926 Scheider
- 1,652,676 A 12/1927 Komenak
- 2,374,687 A 5/1945 Komenak
- 2,704,218 A 3/1955 Claud-Mantle
- D188,469 S 7/1960 Humphries
- 3,008,320 A 11/1961 Cheney
- 3,030,137 A 4/1962 Cheney
- D209,657 S 12/1967 Barcus
- D215,195 S 9/1969 Drengle et al.
- 3,698,753 A 10/1972 Atkinson
- 3,885,407 A 5/1975 Feinberg
- 3,998,077 A 12/1976 Bako
- 4,008,584 A 2/1977 Wingert
- 4,074,549 A 2/1978 Yee
- 4,343,501 A 8/1982 Meeks
- 4,522,436 A 6/1985 Hoen et al.
- D302,140 S 7/1989 Johnston
- 4,843,688 A 7/1989 Ikeda
- 5,301,989 A * 4/1994 Dallmann et al. 292/142

FIG. 1 is a top plan view of a draw latch showing our new design;
 FIG. 2 is a perspective view thereof;
 FIG. 3 is a front elevational view thereof;
 FIG. 4 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
 FIG. 5 is a rear elevational view thereof;
 FIG. 6 is a top plan view of a second embodiment of a draw latch;
 FIG. 7 is a perspective view of FIG. 6;
 FIG. 8 is a front elevational view of FIG. 6;
 FIG. 9 is a right side elevational view of FIG. 6, the left side elevational view being a mirror image thereof; and,
 FIG. 10 is a rear elevational view thereof.
 The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D533,434 S

Page 2

U.S. PATENT DOCUMENTS

5,449,210 A	9/1995	Takimoto		
5,452,926 A	9/1995	Takimoto		
D366,856 S	2/1996	Takimoto		
D371,502 S *	7/1996	Morris	D8/331
D377,141 S *	1/1997	Ford et al.	D8/331
D377,446 S *	1/1997	Ford et al.	D8/331
5,655,799 A	8/1997	Takimoto		
5,667,258 A	9/1997	Takimoto		
6,076,865 A	6/2000	Sokurenko et al.		
D429,618 S *	8/2000	Tieu	D8/331
6,174,007 B1 *	1/2001	Schlack et al.	292/336.3
6,266,248 B1 *	7/2001	Hanas et al.	361/752
D449,511 S *	10/2001	Halvorson et al.	D8/338

* cited by examiner

