



US00D533434S

(12) **United States Design Patent**
Riblett et al.

(10) **Patent No.:** **US D533,434 S**
(45) **Date of Patent:** **** Dec. 12, 2006**

(54) **DRAW LATCH**

D362,413 S 9/1995 Takimoto

(75) Inventors: **Allen Riblett**, Ardentown, DE (US);
Stefan M. Koveal, Glen Mills, PA (US)

(Continued)

(73) Assignee: **Southco, Inc.**, Concordville, PA (US)

FOREIGN PATENT DOCUMENTS

(**) Term: **14 Years**

(21) Appl. No.: **29/203,576**

(22) Filed: **Apr. 16, 2004**

(51) **LOC (8) Cl.** **08-07**

(52) **U.S. Cl.** **D8/331; D8/343**

(58) **Field of Classification Search** D8/330,
D8/331, 339, 341, 343, 301, 302; 70/14,
70/51, 52, 69-76, 110, 111, 164, 137, 240,
70/141, DIG. 80, 241; 292/95, 129, 283,
292/300, 358, 359, DIG. 14
See application file for complete search history.

JP	5-32650	4/1993
JP	6-240938	8/1994
JP	6-240940	8/1994
JP	7-58015	6/1995
JP	936704	10/1995
JP	8-121002	5/1996
JP	979648	4/1997
JP	979654	4/1997
KR	20-0205785	9/2000
KR	30-0275042	3/2001

OTHER PUBLICATIONS

1996 Takigen Catalog, version 15-3, p. 871.

Primary Examiner—Prabhakar Deshmukh
(74) *Attorney, Agent, or Firm*—Paul & Paul

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,024,054 A	4/1912	Barnes
1,503,462 A	8/1924	Albert
1,521,082 A	12/1924	Duggan
1,603,418 A	10/1926	Scheider
1,652,676 A	12/1927	Komenak
2,374,687 A	5/1945	Komenak
2,704,218 A	3/1955	Claud-Mantle
D188,469 S	7/1960	Humphries
3,008,320 A	11/1961	Cheney
3,030,137 A	4/1962	Cheney
D209,657 S	12/1967	Barcus
D215,195 S	9/1969	Drengle et al.
3,698,753 A	10/1972	Atkinson
3,885,407 A	5/1975	Feinberg
3,998,077 A	12/1976	Bako
4,008,584 A	2/1977	Wingert
4,074,549 A	2/1978	Yee
4,343,501 A	8/1982	Meeks
4,522,436 A	6/1985	Hoen et al.
D302,140 S	7/1989	Johnston
4,843,688 A	7/1989	Ikeda
5,301,989 A *	4/1994	Dallmann et al. 292/142


(57) **CLAIM**

The ornamental design for a draw latch, as shown and described.

DESCRIPTION

FIG. 1 is a top plan view of a draw latch showing our new design;
FIG. 2 is a perspective view thereof;
FIG. 3 is a front elevational view thereof;
FIG. 4 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;
FIG. 5 is a rear elevational view thereof;
FIG. 6 is a top plan view of a second embodiment of a draw latch;
FIG. 7 is a perspective view of FIG. 6;
FIG. 8 is a front elevational view of FIG. 6;
FIG. 9 is a right side elevational view of FIG. 6, the left side elevational view being a mirror image thereof; and,
FIG. 10 is a rear elevational view thereof.
The broken lines are for illustrative purposes only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets



US D533,434 S

Page 2

U.S. PATENT DOCUMENTS

5,449,210 A	9/1995	Takimoto		
5,452,926 A	9/1995	Takimoto		
D366,856 S	2/1996	Takimoto		
D371,502 S *	7/1996	Morris	D8/331
D377,141 S *	1/1997	Ford et al.	D8/331
D377,446 S *	1/1997	Ford et al.	D8/331
5,655,799 A	8/1997	Takimoto		
5,667,258 A	9/1997	Takimoto		
6,076,865 A	6/2000	Sokurenko et al.		
D429,618 S *	8/2000	Tieu	D8/331
6,174,007 B1 *	1/2001	Schlack et al.	292/336.3
6,266,248 B1 *	7/2001	Hanas et al.	361/752
D449,511 S *	10/2001	Halvorson et al.	D8/338

* cited by examiner




FIG. 2




FIG. 1




FIG. 5




FIG. 4




FIG. 3

