

(12) United States Design Patent (10) Patent No.: US D533,678 S Conrad (45) **Date of Patent: ** Dec. 12, 2006**

VEHICLE HEADLIGHT COVER (54)

- Inventor: Amy K. Conrad, Snellville, GA (US) (75)
- Assignee: Amy Conrad (73)
- (**)14 Years Term:
- Appl. No.: 29/214,290 (21)
- (22) Filed: Sep. 30, 2004

Primary Examiner—Marcus A. Jackson (74) Attorney, Agent, or Firm—Morris, Manning & Martin, LLP

CLAIM (57)

The ornamental design of a vehicle headlight cover, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a vehicle headlight cover

- LOC (8) Cl. 26-05 (51)(52)
- Field of Classification Search D26/28–36, (58)D26/139; 362/61, 80, 81, 82, 83, 267–275, 362/459-468, 475-478, 485-487

See application file for complete search history.

(56)**References** Cited U.S. PATENT DOCUMENTS

D287,414 S * 12/1986 Giles et al. D26/139 * 11/1996 Matthies D26/28 D375,568 S 3/1999 Sacco et al. D406,911 S D425,250 S 5/2000 Gray D475,802 S * 6/2003 Homann D26/74 D481,807 S 11/2003 Honer D494,706 S 8/2004 Tsai D499,506 S * 12/2004 Tsai D26/139

shown on a vehicle, according to my novel design; FIG. 2 is a front view of the vehicle headlight cover shown on a headlight only, according to my novel design; FIG. 3 is another perspective view of the vehicle headlight cover according to my novel design; FIG. 4 is a front view of the vehicle headlight cover according to my novel design; FIG. 5 is a top view of the vehicle headlight cover according to my novel design; and, FIG. 6 is a side view of the vehicle headlight cover according to my novel design. This design represents one embodiment of a design for a vehicle headlight cover. The drawings and descriptions represent the right side embodiment. The design also contemplates a mirror symmetrical embodiment on the left side of a vehicle. The dash line included depicts environment and is not part of the claimed design.

* cited by examiner

1 Claim, 4 Drawing Sheets



U.S. Patent Dec. 12, 2006 Sheet 1 of 4 US D533,678 S







U.S. Patent Dec. 12, 2006 Sheet 2 of 4 US D533,678 S



U.S. Patent Dec. 12, 2006 Sheet 3 of 4 US D533,678 S







U.S. Patent Dec. 12, 2006 Sheet 4 of 4 US D533,678 S

