



US00D533804S

(12) **United States Design Patent** (10) **Patent No.:** **US D533,804 S**
Anastasiadis (45) **Date of Patent:** **** Dec. 19, 2006**

(54) **NOVELTY DEVICE**

(75) Inventor: **John Anastasiadis**, Wilmington, DE (US)

(73) Assignee: **Hayloft Enterprises, Inc.**, Wilmington, DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/251,878**

(22) Filed: **Jan. 13, 2006**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/84; D11/125; D23/367**

(58) **Field of Classification Search** D11/211,
D11/221, 223, 225, 238, 241, 1, 2, 7, 8, 44,
D11/48, 63, 67, 75, 79, 81, 86, 115, 117,
D11/121, 125, 130, 131, 133, 139, 140, 157,
D11/164; D1/104, 106, 115, 127; D3/211;
D9/645; D21/386, 465, 467, 483; D23/366–369;
D26/4, 14, 19, 32, 47, 57, 73, 101, 127, 154,
D26/156; D28/4, 5, 6, 8.1, 8.2; 428/7–12,
428/15, 17, 21, 28, 905; 63/1.11–43; 239/34–60,
239/211; 362/104, 122, 806
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D109,516 S	*	5/1938	Kranz et al.	D11/125
D139,002 S	*	10/1944	Pokol	D7/301
D180,233 S	*	8/1957	Incera	D9/645
D183,310 S	*	8/1958	Huck	D9/657
D216,573 S	*	2/1970	Snyder	D7/696
3,698,991 A	*	10/1972	Susewitz	428/9
5,177,983 A	*	1/1993	Terada et al.	63/33

D390,941 S		2/1998	Cessaroni et al.	
D423,298 S	*	4/2000	Hansen D7/606
D424,882 S	*	5/2000	Santiago et al. D7/594
D430,659 S	*	9/2000	Zaragoza et al. D23/367
D441,608 S	*	5/2001	Tsunis et al. D7/518
6,236,807 B1		5/2001	Ruffolo et al.	
D447,265 S	*	8/2001	Orozco D26/73
D449,101 S		10/2001	Wolpert et al.	
D477,067 S		7/2003	Lonczak et al.	
D485,343 S		1/2004	Wu	
D503,224 S		3/2005	Harbutt et al.	
D520,175 S	*	5/2006	Sheng D26/92
2004/0169091 A1		9/2004	Wheatley et al.	
2005/0169793 A1		8/2005	Wheatley et al.	

* cited by examiner

Primary Examiner—Catherine Tuttle
(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP


(57) **CLAIM**

The ornamental design for the novelty device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the novelty device;
FIG. 2 is a front elevational view thereof;
FIG. 3 is a right side elevational view thereof with the left side elevational view being the same except for the staggered heights of the upper tips;
FIG. 4 is a top plan view thereof; and,
FIG. 5 is a bottom plan view thereof.
An alternative embodiment of my design is similar to the design embodiment shown in FIGS. 1–5, but made with a translucent material.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5