



US00D534093S

(12) **United States Design Patent**
Anastasiadis

(10) **Patent No.:** **US D534,093 S**

(45) **Date of Patent:** **** Dec. 26, 2006**

(54) **NOVELTY DEVICE**

(75) Inventor: **John Anastasiadis**, Wilmington, DE
(US)

(73) Assignee: **Hayloft Enterprises, Inc.**, Wilmington,
DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/251,923**

(22) Filed: **Jan. 13, 2006**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/81; D11/90; D11/125;**
D23/367

(58) **Field of Classification Search** D11/211,
D11/221, 225, 238, 1, 2, 7, 8, 43, 44, 48,
D11/75, 79, 81, 86, 90, 121, 125, 130, 131,
D11/132, 133, 140, 157, 164; D3/207, 208,
D3/209, 211; D21/386, 465, 467, 483; D23/366-369;
D26/4, 14, 16, 32, 47, 57, 125, 154, 156;
D28/4, 5, 6, 8.1, 8.2; 428/7-12, 15, 17, 21,
428/28, 905; 63/1.11-43; 239/34-60, 211;
362/104, 122, 806

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D69,309 S	*	1/1926	Block	D26/154
2,385,098 A	*	9/1945	Marohl	239/44
D154,030 S	*	6/1949	Duvalet	D11/9
D212,290 S	*	9/1968	Burnbaum	D11/125
3,533,139 A	*	10/1970	Gomes et al.	24/703.1
D262,136 S	*	12/1981	Patrigot	D23/369
D366,108 S	*	1/1996	Traylor et al.	D23/368
D390,941 S		2/1998	Cessaroni et al.		

5,873,652 A	*	2/1999	Bayer et al.	362/405
6,236,807 B1		5/2001	Ruffolo et al.		
D449,101 S		10/2001	Wolpert et al.		
D475,289 S	*	6/2003	Cooper	D9/434
D475,632 S	*	6/2003	Cooper	D9/551
D477,067 S		7/2003	Lonczak et al.		
6,615,611 B1	*	9/2003	Schachter et al.	63/32
D485,343 S		1/2004	Wu		
D503,224 S		3/2005	Harbutt et al.		
2001/0020370 A1	*	9/2001	Haimoff	63/28
2004/0169091 A1		9/2004	Wheatley et al.		
2005/0169793 A1		8/2005	Wheatley et al.		
2006/0032271 A1	*	2/2006	Thapar	63/32

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge &
Hutz LLP

(57) **CLAIM**



The ornamental design for the novelty device, as shown and
described.

DESCRIPTION

FIG. 1 is a perspective view of the novelty device;
FIG. 2 is a perspective view showing the opposite side of
FIG. 1;
FIG. 3 is an elevational view of the side shown in FIG. 1;
FIG. 4 is an elevational view of the side shown in FIG. 2;
FIG. 5 is a top plan view thereof;
FIG. 6 is a bottom plan view thereof;
FIG. 7 is a left side elevational view thereof; and,
FIG. 8 is a right side elevational view thereof.

An alternative embodiment of my design is similar to the
design embodiment shown in FIGS. 1-8, but made with a
translucent material.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8