

US00D534111S

(12) **United States Design Patent** (10) **Patent No.:** **US D534,111 S**
Wannamaker (45) **Date of Patent:** **** Dec. 26, 2006**

(54) **SPARK ARRESTOR**

(75) Inventor: **Christopher Wannamaker,**
Scarborough (CA)

(73) Assignee: **Advanced Car Specialties Limited,**
Toronto (CA)

(**) Term: **14 Years**

(21) Appl. No.: **29/210,955**

(22) Filed: **Aug. 9, 2004**

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/194**

(58) **Field of Classification Search** 55/385.3,
55/414, 418, 503, 505, DIG. 20; 181/194,
181/227, 228, 230; 431/346; 48/192; 220/88.1;
D12/194

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,489,422	A	*	4/1924	Brabant		D12/194
3,187,834	A	*	6/1965	Cassilly et al.		D12/194
3,435,810	A	*	4/1969	Busse		60/279
D246,038	S	*	10/1977	Moller		D12/194
4,147,230	A		4/1979	Ormond et al.		181/231
4,785,158	A	*	11/1988	Gaul		219/121.14
5,177,962	A		1/1993	Hall et al.		60/311
5,431,706	A		7/1995	Paas		55/342
5,434,374	A	*	7/1995	Hsueh		181/228
5,451,728	A		9/1995	Chandler et al.		181/230
6,010,549	A		1/2000	Higashi et al.		55/385.3
D458,570	S	*	6/2002	Wang		D12/194
D465,181	S	*	11/2002	Wang		D12/194
6,540,046	B1	*	4/2003	Schuhmacher et al.		181/231

* cited by examiner

Primary Examiner—Doris Clark

Assistant Examiner—Michael Pratt

(74) *Attorney, Agent, or Firm*—Vidas, Arrett, Steinkraus,
P.A.

(57) **CLAIM**

The ornamental design for a spark arrestor, as shown and described.

DESCRIPTION

FIG. 1 is a front perspective view of a first embodiment of a spark arrestor showing my new design;
FIG. 2 is a rear perspective view thereof;
FIG. 3 is a side view thereof;
FIG. 4 is a top plan view thereof;
FIG. 5 is a front perspective view of a second embodiment of a spark arrestor;
FIG. 6 is a rear perspective view thereof;
FIG. 7 is a side view thereof;
FIG. 8 is a top plan view thereof;
FIG. 9 is a front perspective view of a third embodiment of a spark arrestor;
FIG. 10 is a rear perspective view thereof;
FIG. 11 is side view thereof;
FIG. 12 is a top plan view thereof;
FIG. 13 is a front perspective view of a fourth embodiment of a spark arrestor;
FIG. 14 is a rear perspective view thereof;
FIG. 15 is side view thereof;
FIG. 16 is a top plan view of the first embodiment of the design of a spark arrestor;
FIG. 17 is a front perspective view of a fifth embodiment of a spark arrestor;
FIG. 18 is a rear perspective view thereof;
FIG. 19 is a side view thereof;
FIG. 20 is a top plan view thereof;
FIG. 21 is a front perspective view of a sixth embodiment of the design of a spark arrestor;
FIG. 22 is a rear perspective view thereof;
FIG. 23 is a side view thereof; and,
FIG. 24 is a top plan view thereof.

1 Claim, 24 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. II




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24

