



US00D534136S

(12) **United States Design Patent**  
**Voigt et al.**

(10) **Patent No.: US D534,136 S**

(45) **Date of Patent: \*\* Dec. 26, 2006**

(54) **VIRTUAL INPUT PEN FOR DATA**

(56) **References Cited**

(75) Inventors: **Rudolf Voigt**, Munich (DE); **Anita Klaiber**, Boston, MA (US); **Bertrand Richez**, Paris (FR); **Arnauld Blanck**, Ivry sur Seine (FR); **Frederique Godfroid**, Paris (FR); **Barry Drake**, Paris (FR); **Christopher Reeves**, Saint Pierre du Lorouer (FR)

U.S. PATENT DOCUMENTS

D320,787 S	*	10/1991	Valls et al. ....	D14/411
D322,064 S	*	12/1991	Chowdhree et al. ....	D14/411
D332,446 S	*	1/1993	Lin .....	D14/411
D412,320 S	*	7/1999	Mueller et al. ....	D14/411
D472,240 S	*	3/2003	Seog .....	D14/411
D472,885 S	*	4/2003	Kataoka .....	D14/167

(73) Assignee: **Koninklijke Philips Electronics N.V.**, Eindhoven (NL)

\* cited by examiner

*Primary Examiner*—Pamela J. Burgess

(\*\*) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/210,063**

The ornamental design for a virtual input pen for data, as shown.

(22) Filed: **Jul. 26, 2004**

**DESCRIPTION**

(30) **Foreign Application Priority Data**

Feb. 24, 2004 (EM) ..... 000136981

(51) **LOC (8) Cl.** ..... **14-02**


(52) **U.S. Cl.** ..... **D14/114; D19/36**

(58) **Field of Classification Search** ..... D14/100,  
D14/114; D19/45-46, 41-42, 36, 54; 345/179;  
235/454, 462, 472, 486; D26/45, 50, 37;  
250/566, 568

FIG. 1 is a perspective view showing my design;  
FIG. 2 is a front elevational view thereof;  
FIG. 3 is a rear elevational view thereof;  
FIG. 4 is a right side elevational view thereof;  
FIG. 5 is a left side elevational view thereof;  
FIG. 6 is a top plan view thereof; and,  
FIG. 7 is a bottom plan view thereof.

See application file for complete search history.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2



FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7