



US00D534424S

(12) **United States Design Patent**
Ellman et al.

(10) **Patent No.:** **US D534,424 S**
(45) **Date of Patent:** **** Jan. 2, 2007**

(54) **CONTAINER**
(75) Inventors: **Fredric Ellman**, Tarrytown, NY (US);
Eliza D. Cooney, Bronxville, NY (US)
(73) Assignee: **Desannois Enterprises LLC**, New
Rochelle, NY (US)
(**) Term: **14 Years**

4,260,101 A 4/1981 Webinger
4,279,933 A 7/1981 Austin et al.
D264,313 S 5/1982 Austin
D264,440 S 5/1982 Austin
D264,688 S 6/1982 Austin
D270,042 S 8/1983 Fisher
D272,130 S 1/1984 Miyazaki
D290,813 S 7/1987 Forbes, Jr.
4,795,082 A * 1/1989 Fujihara et al. 229/109
4,850,528 A 7/1989 Hanus
D307,717 S 5/1990 Bannister
4,930,680 A 6/1990 Hanus
4,936,699 A 6/1990 Yoshida
5,081,852 A 1/1992 Cox

(21) Appl. No.: **29/240,783**
(22) Filed: **Oct. 19, 2005**

(51) **LOC (8) Cl.** **09-03**
(52) **U.S. Cl.** **D9/430**
(58) **Field of Classification Search** D9/430-433,
D9/414, 418, 420, 423, 419; 206/139, 140,
206/822; 229/100, 110, 116.1, 124, 800,
229/107, 120.02, 108, 103.2, 106, 103.3,
229/111-114, 902-906, 229-232, 160.1;
220/501, 507, 509, 62, 62.12, 62.13, DIG. 1,
220/DIG. 2

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

648,182 A 4/1900 Webb
727,723 A 5/1903 Webb
1,701,610 A 2/1929 Forstner
D85,839 S 12/1931 Oulton
2,047,804 A 7/1936 Shapiro
D111,135 S 9/1938 Ebbert
2,160,488 A 5/1939 Ringler
2,352,393 A 6/1944 Lee
2,413,541 A 12/1946 Brady
D175,089 S 7/1955 Newmark
2,761,611 A 9/1956 Benschoter
3,181,764 A 5/1965 Lowry
D210,149 S 2/1968 Frankenthaler
3,768,720 A 10/1973 Bundy
3,896,786 A 7/1975 Clevett
3,985,285 A * 10/1976 Kitagawa 229/103.3
D256,219 S 8/1980 Miyazaki
4,248,901 A * 2/1981 Austin 426/119

(Continued)

FOREIGN PATENT DOCUMENTS

GB 1078949 8/1967

Primary Examiner—Mitchell Siegel
Assistant Examiner—Mark Goodman
(74) *Attorney, Agent, or Firm*—Dinesh Agarwal, P.C.


(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a container, showing our new design, shown in a closed position;
FIG. 2 is a perspective view of the container of FIG. 1, shown in a partially open position;
FIG. 3 is a top plan view of the container of FIG. 1;
FIG. 4 is a bottom plan view of the container of FIG. 1;
FIG. 5 is a front elevational view of the container of FIG. 1;
FIG. 6 is a rear elevational view of the container of FIG. 1;
FIG. 7 is a right side view of the container of FIG. 1; and,
FIG. 8 is a left side view of the container of FIG. 1.
The matter shown in phantom lines of FIGS. 1-3 is for illustrative purposes only and forms no part of the claimed design.

1 Claim, 4 Drawing Sheets



US D534,424 S

Page 2

U.S. PATENT DOCUMENTS

D345,715 S	4/1994	Hundt		D497,826 S	11/2004	Nelson
5,558,272 A	9/1996	Magister		D502,661 S	3/2005	Rapport
D387,984 S	12/1997	Magister		D502,662 S	3/2005	Rapport
5,704,067 A	1/1998	Brady		D503,646 S	4/2005	Rapport
D394,388 S	5/1998	Correll		2003/0111005 A1	6/2003	Lord et al.
D404,330 S	1/1999	Gruosi		2003/0118975 A1	6/2003	Stamm et al.
D444,062 S	* 6/2001	Harrison D9/430	2005/0026120 A1	2/2005	Delvecchio et al.
D463,308 S	9/2002	Skiles		2005/0037323 A1	2/2005	Basson
D472,840 S	4/2003	Visick				

* cited by examiner

FIG. 1




FIG. 2




FIG. 3





FIG. 4






FIG. 5




FIG. 6




FIG. 7




FIG. 8