



US00D534526S

(12) **United States Design Patent**  
**Aoki et al.**

(10) **Patent No.:** **US D534,526 S**  
(45) **Date of Patent:** **\*\* Jan. 2, 2007**

(54) **MICROPHONE**

(75) Inventors: **Hiroyasu Aoki**, Osaka (JP); **Yasushi Akita**, Osaka (JP)

(73) Assignee: **ICOM Incorporated**, Osaka (JP)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/236,145**

(22) Filed: **Aug. 12, 2005**

(30) **Foreign Application Priority Data**

Apr. 4, 2005 (JP) ..... 2005-009996

(51) **LOC (8) Cl.** ..... **14-01**

(52) **U.S. Cl.** ..... **D14/225**

(58) **Field of Classification Search** ..... D14/205–206,  
D14/223–229, 299; 181/158, 242; 379/368,  
379/430, 431; 381/91, 122, 153, 168, 169,  
381/183, 361; 455/77

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D194,749 S \* 3/1963 Deschamps ..... D14/225  
D226,010 S \* 1/1973 Podall ..... D14/225  
D234,957 S \* 4/1975 Huntington ..... D14/225  
D244,780 S \* 6/1977 Kobayashi ..... D14/225  
D249,041 S \* 8/1978 Culbertson ..... D14/225  
4,199,721 A \* 4/1980 Ono et al. .... 455/77  
D264,335 S \* 5/1982 Huntington ..... D14/225

D281,419 S \* 11/1985 Nagele ..... D14/225  
D307,907 S \* 5/1990 Siddoway et al. .... D14/225  
5,249,235 A \* 9/1993 Davis et al. .... 381/91  
D376,599 S \* 12/1996 Lindeman et al. .... D14/225  
5,701,355 A \* 12/1997 Brannan et al. .... 381/361

\* cited by examiner

*Primary Examiner*—Paula A. Greene

(74) *Attorney, Agent, or Firm*—Wenderoth, Lind & Ponack, L.L.P.

(57) **CLAIM**

The ornamental design for a microphone, as shown and described.

**DESCRIPTION**

FIG. 1 is a front view of a microphone according to the present invention.

FIG. 2 is a perspective view of the microphone according to present invention as seen from the front and left side thereof.

FIG. 3 is a left side view of the microphone according to the present invention.


FIG. 4 is a right side view of the microphone according to the present invention.

FIG. 5 is a back view of the microphone according to the present invention.

FIG. 6 is a top view of the microphone according to the present invention; and,

FIG. 7 is a bottom view of the microphone according to the present invention.

**1 Claim, 7 Drawing Sheets**






FIG. 1



FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7