



US00D534542S

(12) **United States Design Patent** (10) **Patent No.:** **US D534,542 S**
Jewitt et al. (45) **Date of Patent:** **** Jan. 2, 2007**

(54) **ACTIVITY INDICATOR FOR A TOUCH-BASED USER INTERFACE FOR AN IMAGE PROCESSING OFFICE MACHINE**

D499,110 S * 11/2004 Ording et al. D14/487
 D499,740 S * 12/2004 Ombao et al. D14/487
 D501,213 S * 1/2005 Totten et al. D14/487
 D508,248 S * 8/2005 Ording D14/487

(75) Inventors: **Shane Jewitt**, Rochester, NY (US);
Karen Totten, Macedon, NY (US);
Marc J. Krolczyk, Rochester, NY (US)

* cited by examiner

Primary Examiner—M. H. Tung

(74) *Attorney, Agent, or Firm*—Tallam I. Nguti

(73) Assignee: **Xerox Corporation**, Stamford, CT (US)

(57) **CLAIM**

(**) Term: **14 Years**

The ornamental design for an activity indicator for a touch-based user interface for an image processing office machine, as shown.

(21) Appl. No.: **29/209,544**

(22) Filed: **Jul. 16, 2004**

DESCRIPTION

(51) **LOC (8) Cl.** **14-04**

(52) **U.S. Cl.** **D14/487**

(58) **Field of Classification Search** D14/485–95;
 D18/24–33; D19/6; D20/11; D21/324–33;
 715/700–866

FIG. 1 is a front view of an activity indicator for a touch-based user interface for an image processing office machine, the broken line drawing of an image processing office machine is for illustrative purposes only and forms no part of the claimed design;

See application file for complete search history.

FIG. 2 is a front view of a second embodiment thereof, shown separately for clarity of illustration;

FIG. 3 is a front view of a third embodiment thereof, shown separately for clarity of illustration;

(56) **References Cited**

U.S. PATENT DOCUMENTS

5,146,557	A	*	9/1992	Yamrom et al.	715/723
5,721,852	A	*	2/1998	Porter	715/777
6,014,140	A	*	1/2000	Strand	345/684
D424,543	S	*	5/2000	Hodgson	D14/487
6,191,785	B1	*	2/2001	Bertram et al.	715/764
D454,574	S	*	3/2002	Wasko et al.	D14/487
6,384,845	B1	*	5/2002	Takaike	715/786
6,611,285	B1	*	8/2003	Morita	348/211.3
D487,275	S	*	3/2004	Ording et al.	D14/487
D491,955	S	*	6/2004	Ording et al.	D14/487
6,747,678	B1	*	6/2004	Katayama et al.	715/773
6,750,913	B1	*	6/2004	Noro et al.	348/333.02

FIG. 4 is a front view of a fourth embodiment thereof, shown separately for clarity of illustration;


FIG. 5 is a front view of a fifth embodiment thereof, shown separately for clarity of illustration;

FIG. 6 is a front view of a sixth embodiment thereof, shown separately for clarity of illustration;

FIG. 7 is a front view of a seventh embodiment thereof, shown separately for clarity of illustration; and,

FIG. 8 is a front view of an eighth embodiment thereof, shown separately for clarity of illustration.

1 Claim, 3 Drawing Sheets






FIG. 1



FIG. 2



FIG. 3



FIG. 4




FIG. 5



FIG. 6




FIG. 7



FIG. 8