



US00D534568S

(12) **United States Design Patent** (10) **Patent No.:** **US D534,568 S**  
**Canavan et al.** (45) **Date of Patent:** **\*\* Jan. 2, 2007**

(54) **SAFETY EYEWEAR**  
(75) Inventors: **Richard W. Canavan**, Woodstock, CT (US); **Laurent Froissard**, Cranston, RI (US); **Raymond Curci**, Smithfield, RI (US)  
(73) Assignee: **Bacou-Dalloz Eye & Face Protection, Inc.**, Smithfield, RI (US)  
(\*\*) Term: **14 Years**  
(21) Appl. No.: **29/209,732**  
(22) Filed: **Jul. 20, 2004**  
(51) **LOC (8) Cl.** ..... **16-06**  
(52) **U.S. Cl.** ..... **D16/314; D16/325**  
(58) **Field of Classification Search** ..... D16/300, D16/311–315, 325, 330, 335; D24/110.2; D29/109–110; 2/448–449; 351/41, 103, 105–106, 351/109, 118–119  
See application file for complete search history.

D375,320 S 11/1996 Canavan ..... D16/312  
D376,613 S 12/1996 Stepan et al. .... D16/327  
D377,036 S \* 12/1996 Leonardi ..... D16/304  
D377,041 S \* 12/1996 Garneau ..... D16/335  
5,617,588 A 4/1997 Canavan et al. .... 2/428  
D380,003 S 6/1997 Wiedner ..... D16/325  
D380,482 S \* 7/1997 Shimasaki et al. .... D16/100  
D387,796 S \* 12/1997 Karasik ..... D16/314  
D401,607 S \* 11/1998 Miniutti ..... D16/314  
5,841,505 A \* 11/1998 Bolle' ..... 351/44  
D412,179 S \* 7/1999 Hall et al. .... D16/335  
D413,136 S \* 8/1999 Rauch et al. .... D16/310  
D415,516 S \* 10/1999 Hall et al. .... D16/330  
D418,154 S \* 12/1999 Karasik ..... D16/314  
D420,034 S 2/2000 Actis-Datta et al. .... D16/315  
D425,926 S \* 5/2000 Newell ..... D16/314  
D428,620 S \* 7/2000 Maturaporn ..... D16/314  
D437,415 S 2/2001 Khalifa ..... D24/172  
D458,293 S \* 6/2002 Lee ..... D16/314  
D463,477 S \* 9/2002 Wiedner ..... D16/314  
D523,461 S \* 6/2006 Jannard et al. .... D16/309

OTHER PUBLICATIONS

Uvex FitLogic Safety Eyewear at Altitude Inc. Downloaded Jul. 7, 2006 at <http://www.altitudeinc.com/casestudies.php?c=uvex>.\*

\* cited by examiner

*Primary Examiner*—Philip S. Hyder  
*Assistant Examiner*—RoseLynne (Ulm) Cody  
(74) *Attorney, Agent, or Firm*—Barlow, Josephs & Holmes, Ltd.

(56) **References Cited**  
U.S. PATENT DOCUMENTS

4,901,374 A \* 2/1990 Van der Woude ..... 2/453  
D314,391 S 2/1991 Nussbickl ..... D16/102  
5,016,292 A \* 5/1991 Rademacher ..... 2/431  
D321,703 S 11/1991 Grau ..... D16/112  
D322,616 S 12/1991 Wiedner ..... D16/102  
D331,765 S 12/1992 Canavan et al. .... D16/112  
D336,097 S 6/1993 Wiedner ..... D16/102  
D337,596 S 7/1993 Canavan ..... D16/123  
5,245,709 A \* 9/1993 Shipcott ..... 2/425  
D342,958 S 1/1994 Canavan ..... D16/112  
5,289,592 A \* 3/1994 Paivarinta ..... 2/431  
D354,068 S 1/1995 Canavan et al. .... D16/313  
D354,972 S \* 1/1995 Hirschman ..... D16/314  
D360,645 S 7/1995 Canavan et al. .... D16/101  
D362,011 S \* 9/1995 Kolentsi ..... D16/315  
5,455,639 A 10/1995 Magdelaine et al. .... 351/47  
5,457,505 A 10/1995 Canavan et al. .... 351/120  
D365,837 S 1/1996 Canavan ..... 351/325  
D366,056 S \* 1/1996 Wolfe ..... D16/314  
D367,665 S \* 3/1996 Yamamoto ..... D16/314  
D370,930 S \* 6/1996 Yamamoto ..... D16/314  
D375,317 S 11/1996 Canavan ..... D16/101


(57) **CLAIM**


The ornamental design for safety eyewear, as shown and described.

**DESCRIPTION**


FIG. 1 is a perspective view of the safety eyewear in accordance with the present invention;  
FIG. 2 is a front view thereof;  
FIG. 3 is a top view thereof;  
FIG. 4 is a left side view thereof, the left and right side views being identical;  
FIG. 5 is a bottom view thereof; and,  
FIG. 6 is a rear view thereof.

**1 Claim, 6 Drawing Sheets**







**FIG. 1**



**FIG. 2**



**FIG. 3**








FIG. 5




FIG. 6