



US00D534830S

(12) **United States Design Patent**
Anastasiadis

(10) **Patent No.:** **US D534,830 S**

(45) **Date of Patent:** **** Jan. 9, 2007**

(54) **NOVELTY DEVICE**

(75) Inventor: **John Anastasiadis**, Wilmington, DE
(US)

(73) Assignee: **Hayloft Enterprises, Inc.**, Wilmington,
DE (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/251,932**

(22) Filed: **Jan. 13, 2006**

(51) **LOC (8) Cl.** **11-01**

(52) **U.S. Cl.** **D11/84; D11/125; D23/367**

(58) **Field of Classification Search** D11/211,
D11/221, 223, 225, 238, 241, 1, 2, 7, 8, 44,
D11/48, 63, 67, 75, 79, 81, 86, 115, 117,
D11/121, 125, 130, 131, 133, 139, 140, 157,
D11/164; D1/104, 106, 115, 127; D3/211;
D9/645, 646; D21/386, 465, 467, 483; D23/366-369;
D26/4, 14, 19, 32, 47, 57, 73, 101, 127, 154,
D26/156; D28/4, 5, 6, 8.1, 8.2; 428/7-12,
428/15, 17, 21, 28, 905; 63/1.11-43; 239/34-60;
362/104, 122, 806
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D168,471 S	*	12/1952	Nielsen	D9/451
3,271,486 A	*	9/1966	Dunlop	264/46.6
D249,328 S	*	9/1978	Fields	D9/646
5,178,327 A	*	1/1993	Palamand et al.	239/57
D379,853 S	*	6/1997	Long et al.	D23/367
D390,941 S		2/1998	Cessaroni et al.		

D416,944 S	*	11/1999	Scott	D20/29
D417,823 S	*	12/1999	Prissberg	D7/659
D417,839 S	*	12/1999	Sims et al.	D9/646
6,236,807 B1		5/2001	Ruffolo et al.		
D449,101 S		10/2001	Wolpert et al.		
D449,530 S	*	10/2001	Sadeghi et al.	D9/451
D449,990 S	*	11/2001	Odet et al.	D9/451
D477,067 S		7/2003	Lonczak et al.		
D485,343 S		1/2004	Wu		
D503,224 S		3/2005	Harbutt et al.		
D511,933 S	*	11/2005	Abrams	D7/400
D512,496 S	*	12/2005	Harbutt et al.	D23/366
2004/0169091 A1		9/2004	Wheatley et al.		
2005/0169793 A1		8/2005	Wheatley et al.		

* cited by examiner

Primary Examiner—Catherine Tuttle

(74) *Attorney, Agent, or Firm*—Connolly Bove Lodge & Hutz LLP


(57) **CLAIM**

The ornamental design for the novelty device, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the novelty device; FIG. 2 is a front elevational view thereof; FIG. 3 is a right side elevational view thereof with the left side elevational view being the same; FIG. 4 is a top plan view thereof; and, FIG. 5 is a bottom plan view thereof. An alternative embodiment of my design is similar to the design embodiment shown in FIGS. 1-5, but made with a translucent material.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4



FIG. 5