

US00D534857S

(12) **United States Design Patent**  
**Poling et al.**

(10) **Patent No.: US D534,857 S**  
(45) **Date of Patent: \*\* \*Jan. 9, 2007**

(54) **TIRE TREAD**

(75) Inventors: **David Charles Poling**, Uniontown, OH (US); **Charles Kenneth Schmalix**, Canal Fulton, OH (US); **Eric John Marazzi**, Akron, OH (US); **Randall Raymond Brayer**, San Angelo, TX (US); **Robert Allen Losey**, Kent, OH (US); **Walter Dale Allen**, Akron, OH (US); **Samuel Patrick Landers**, North Canton, OH (US); **Billy Joe Ratliff, Jr.**, Commerce Township, MI (US)

(73) Assignee: **The Goodyear Tire & Rubber Company**, Akron, OH (US)

(\*) Notice: This patent is subject to a terminal disclaimer.

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/206,637**

(22) Filed: **Jun. 2, 2004**

(Under 37 CFR 1.47)

(51) **LOC (8) Cl. .... 12-15**

(52) **U.S. Cl. .... D12/553; D12/900**

(58) **Field of Classification Search .... D12/534, D12/537, 551, 552, 553, 554, 555, 556, 586, D12/587, 588, 589, 590, 591, 900; 152/209.1, 152/209.11, 209.13, 209.28**

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

|              |         |               |         |
|--------------|---------|---------------|---------|
| 5,152,854 A  | 10/1992 | Matsumoto     | 152/209 |
| D354,261 S   | 1/1995  | Graas         | D12/136 |
| D358,793 S   | 5/1995  | Himuro et al. | D12/151 |
| 5,421,391 A  | 6/1995  | Himuro        | 152/209 |
| 5,609,699 A  | 3/1997  | Himuro        | 152/209 |
| 5,707,461 A  | 1/1998  | Himuro        | 152/209 |
| 5,725,700 A  | 3/1998  | Ichiki        | 152/209 |
| D397,650 S * | 9/1998  | Himuro        | D12/551 |
| 5,885,384 A  | 3/1999  | Himuro        | 152/209 |

|              |         |              |         |
|--------------|---------|--------------|---------|
| 5,967,210 A  | 10/1999 | Himuro       | 152/209 |
| D416,836 S   | 11/1999 | Himuro       | D12/147 |
| 6,123,129 A  | 9/2000  | Himuro       | 152/209 |
| D432,057 S   | 10/2000 | Himuro       | D12/146 |
| 6,213,180 B1 | 4/2001  | Himuro       | 152/209 |
| D450,033 S   | 11/2001 | Graas et al. | D12/563 |

(Continued)

**OTHER PUBLICATIONS**

Nexen N2000P Tire, 2004 Tread Design Guide, Jan. 2004, p. 46. 1/4.\*

Nokian Hakkapeliitta 2 Tire, 2004 Tread Design Guide, Jan. 2004, p. 47. 2/5.\*

Catalog page, The Goodyear Tire & Rubber Company, 1144 East Market Street, Akron, Ohio 44316-0001. Published at least as early as May 22, 2003.

Page 17, *Tread Design Guide*, Bridgestone Potenza S-02 (4/1); published Jan. 2002.

Page 39, *Tire Review* magazine, Toyo Proxes T1-S™; published Mar. 2001.

*Primary Examiner*—Robert M. Spear

(74) *Attorney, Agent, or Firm*—Richard B. O'Planick

(57) **CLAIM**

The ornamental design for a tire tread, as shown and described.

**DESCRIPTION**

FIG. 1 is a perspective view of a tire tread showing our new design, it being understood that the pattern repeats uniformly throughout the circumference of the tread;


FIG. 2 is a front elevational view thereof;

FIG. 3 is a right side elevational view thereof; the opposite side being a mirror image thereof; and,

FIG. 4 is an enlarged fragmentary front elevational view thereof.

In the drawings, the broken lines defining the sidewall, inner bead and the peripheral boundary between the tire tread and the sidewall are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**



U.S. PATENT DOCUMENTS

|              |   |        |                          |         |                 |   |         |                     |         |
|--------------|---|--------|--------------------------|---------|-----------------|---|---------|---------------------|---------|
| D454,523 S   | * | 3/2002 | Traulle .....            | D12/553 | D484,846 S      | * | 1/2004  | Graas .....         | D12/551 |
| D455,116 S   | * | 4/2002 | Graas et al. ....        | D12/553 | D491,516 S      | * | 6/2004  | Miller et al. ....  | D12/553 |
| D455,393 S   |   | 4/2002 | Ratliff, Jr. ....        | D12/546 | D491,883 S      | * | 6/2004  | Landers et al. .... | D12/553 |
| D462,313 S   |   | 9/2002 | Maxwell .....            | D12/546 | D501,180 S      | * | 1/2005  | Landers et al. .... | D12/563 |
| D469,055 S   |   | 1/2003 | Johenning et al. ....    | D12/563 | D504,105 S      | * | 4/2005  | Landers et al. .... | D12/553 |
| D470,100 S   |   | 2/2003 | Johenning et al. ....    | D12/563 | D512,015 S      | * | 11/2005 | Landers et al. .... | D12/552 |
| 6,520,230 B1 |   | 2/2003 | Ratliff, Jr. et al. .... | 152/209 | D512,958 S      | * | 12/2005 | Allison et al. .... | D12/552 |
| D471,150 S   | * | 3/2003 | Endo et al. ....         | D12/551 | D514,059 S      | * | 1/2006  | Dixon .....         | D12/552 |
| D471,152 S   |   | 3/2003 | Graas et al. ....        | D12/563 | 2001/0017177 A1 | * | 8/2001  | Himuro              |         |
| D475,009 S   |   | 5/2003 | Ochi .....               | D12/600 | 2002/0062892 A1 | * | 5/2002  | Himuro              |         |
| 6,601,624 B1 |   | 8/2003 | Ratliff, Jr. ....        | 152/209 |                 |   |         |                     |         |

\* cited by examiner




FIG-1




FIG-2




FIG-3




FIG-4