



US00D535189S

(12) **United States Design Patent**
Pitman et al.

(10) **Patent No.:** **US D535,189 S**
(45) **Date of Patent:** **** Jan. 16, 2007**

(54) **CLOSURE CAP**
(75) Inventors: **Kelvin Pitman**, Bubendorf (CH); **Udo Boesl**, Eilmeldingen (DE); **Patrick Habersaat**, Reinach (CH)
(73) Assignee: **Crown Cork & Seal Technologies Corporation**, Alsip, IL (US)
(**) Term: **14 Years**

5,749,201 A 5/1998 Cochrane
5,884,790 A 3/1999 Seidita
6,006,933 A 12/1999 Henning et al.
D418,757 S 1/2000 Reidenbach
D419,071 S * 1/2000 Peters et al. D9/453
6,116,443 A 9/2000 Parrinello
D433,820 S * 11/2000 Haarer et al. D9/453
D448,297 S 9/2001 Sindermann
D457,431 S * 5/2002 Brant et al. D9/454
6,457,299 B1 10/2002 Schwenke et al.
6,502,369 B1 1/2003 Andison et al.
D470,413 S * 2/2003 Seidita D9/452

(21) Appl. No.: **29/185,648**
(22) Filed: **Jul. 1, 2003**

FOREIGN PATENT DOCUMENTS

(51) **LOC (8) Cl.** **09-07**
(52) **U.S. Cl.** **D9/452**
(58) **Field of Classification Search** D9/448,
D9/434, 435, 450, 452, 453, 454; 215/200,
215/208, 214, 217, 328, 329, 337; D24/197-199
See application file for complete search history.

DE DM/052170 * 5/2000
FR DM/057655 * 10/2001
FR DM/058766 * 2/2002
FR DM/063888 * 6/2003

* cited by examiner

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan Bennett-Hattan
(74) *Attorney, Agent, or Firm*—Knoble Yoshida & Dunleavy, LLC

(56) **References Cited**

U.S. PATENT DOCUMENTS

928,872 A 7/1909 Lyon
D48,033 S 10/1915 Kaye
1,170,160 A 2/1916 Ingram et al.
D51,893 S * 3/1918 Temple et al. D9/454
1,722,587 A 7/1929 McDonnell
2,792,957 A 5/1957 Rodriguez
D204,508 S 4/1966 Brockett
3,281,001 A 10/1966 Stuart
D242,773 S * 12/1976 Licari et al. D9/448
4,055,266 A 10/1977 Amabili
4,402,415 A 9/1983 Hopeley
5,090,581 A 2/1992 Rose et al.
5,263,600 A 11/1993 Henning
5,415,306 A 5/1995 Luch et al.
5,715,959 A 2/1998 Pfefferkorn et al.


(57) **CLAIM**

The ornamental design for a “closure cap,” as shown and described.

DESCRIPTION

FIG. 1 is a perspective view showing our new design;
FIG. 2 is a first side elevational view;
FIG. 3 is a second side elevational view;
FIG. 4 is a top plan view; and,
FIG. 5 is a bottom plan view.
Any broken lines in the drawings depict probable environment only and form no part of the claimed design.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : Des. 535,189 S
APPLICATION NO. : 29/185648
DATED : January 16, 2007
INVENTOR(S) : Pitman et al.

Page 1 of 1

It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page; item (73);

The name of the Assignee should be changed from "Crown Cork & Seal Technologies Corporation (Alsip, IL)" to -- Obrist Closures Switzerland GmbH (Reinach, CH) --

Signed and Sealed this

Fifteenth Day of April, 2008

A handwritten signature in black ink that reads "Jon W. Dudas". The signature is written in a cursive style with a large, stylized initial 'J'.

JON W. DUDAS

Director of the United States Patent and Trademark Office