



US00D535297S

(12) **United States Design Patent** (10) **Patent No.:** **US D535,297 S**
Cuellar et al. (45) **Date of Patent:** **** Jan. 16, 2007**

(54) **MEMORY CARD WITH TWO SETS OF CONTACTS**

D505,959 S * 6/2005 Yamada et al.
2004/0037145 A1 * 2/2004 Tagawa et al.
2004/0062109 A1 * 4/2004 Wallace

(75) Inventors: **Edwin J. Cuellar**, San Jose, CA (US);
Eliyahou Harari, Saratoga, CA (US);
Robert C. Miller, San Jose, CA (US);
Hem P. Takiar, Fremont, CA (US);
Robert F. Wallace, Sunnyvale, CA (US)

FOREIGN PATENT DOCUMENTS

DE 203 04 040 U1 8/2003

(73) Assignee: **SanDisk Corporation**, Milpitas, CA (US)

OTHER PUBLICATIONS

U.S. Pat. Ser. No. 2003/0100203A1, filed May 29, 2003 Yen. "PQI -Our Products", <http://www.pqi.com.tw/eng/ourproduct/ourproduct.htm>, Feb. 20, 2004, 3 pages.

(**) Term: **14 Years**

* cited by examiner

(21) Appl. No.: **29/203,693**

Primary Examiner—M. H. Tung

(22) Filed: **Apr. 16, 2004**

(74) *Attorney, Agent, or Firm*—Parsons Hsue & de Runtz LLP

(51) **LOC (8) Cl.** **14-02**

(57) **CLAIM**

(52) **U.S. Cl.** **D14/436**

The ornamental design for a memory card with two sets of contacts, as shown and described.

(58) **Field of Classification Search** D14/435-8, D14/478-80; 361/736-7, 686, 752; 257/678-9; 40/124.01; 283/75-6, 901; 235/487-95, 441-3, 235/375; 439/135, 140, 76.1; D8/347
See application file for complete search history.

DESCRIPTION


(56) **References Cited**

U.S. PATENT DOCUMENTS

- D445,111 S * 7/2001 Okamoto et al.
- D446,525 S 8/2001 Okamoto et al.
- D452,690 S * 1/2002 Wallace et al.
- D452,865 S * 1/2002 Wallace et al.
- D453,934 S * 2/2002 Wallace et al.
- D457,887 S 5/2002 Kadonaga
- D488,475 S * 4/2004 Yu et al. D14/436
- D488,476 S * 4/2004 Yu et al.
- D488,477 S 4/2004 Yu et al.
- D491,951 S * 6/2004 Yu et al. D14/436
- D492,314 S 6/2004 Huang et al.
- D492,686 S 7/2004 Yu et al.
- D493,466 S * 7/2004 Yu et al.
- D493,798 S 8/2004 Yu et al.
- D494,180 S 8/2004 Taniguchi
- D498,760 S 11/2004 Chiang et al.

FIG. 1 is a front, top, left side isometric view of a memory card with two sets of contacts showing the first embodiment of the new design;
 FIG. 2 is a front view thereof;
 FIG. 3 is a right side elevational view thereof;
 FIG. 4 is a top plan view thereof;
 FIG. 5 is a rear view thereof;
 FIG. 6 is a left side elevational view thereof;
 FIG. 7 is a bottom plan view thereof;
 FIG. 8 is a front, top, left side isometric view of a memory card with two sets of contacts showing the second embodiment of the new design;
 FIG. 9 is a front view thereof;
 FIG. 10 is a right side elevational view thereof;
 FIG. 11 is a top plan view thereof;
 FIG. 12 is a rear view thereof;
 FIG. 13 is a left side elevational view thereof; and,
 FIG. 14 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG._1




FIG._2



FIG._3



FIG._4




FIG._5



FIG._6




FIG._7




FIG._8




FIG._9



FIG._10



FIG._11




FIG._12



FIG._13




FIG._14