



US00D535562S

(12) **United States Design Patent**
Wisler et al.

(10) **Patent No.:** **US D535,562 S**
(45) **Date of Patent:** **** Jan. 23, 2007**

(54) **CONTAINER TETHER**
(75) Inventors: **Christina E. Wisler**, Waukesha, WI
(US); **Thomas D. Blum**, Fond du Lac,
WI (US)
(73) Assignee: **Briggs & Stratton Corporation**,
Wauwatosa, WI (US)
(**) Term: **14 Years**

6,389,652 B1 5/2002 Williams
6,394,517 B1 5/2002 Borg
6,695,371 B1 2/2004 Simkins
6,715,810 B2 4/2004 Borg
D489,263 S * 5/2004 Sinanian D9/455
6,789,828 B1 9/2004 Borg
6,808,070 B2 10/2004 Borg
6,837,472 B1 1/2005 Beutz
6,857,544 B2 2/2005 Dahl
6,874,620 B2 4/2005 Mattson et al.
2004/0046406 A1 3/2004 Borg
2005/0167289 A1 8/2005 Borg

(21) Appl. No.: **29/235,054**
(22) Filed: **Jul. 27, 2005**

(51) **LOC (8) Cl.** **09-07**
(52) **U.S. Cl.** **D9/455; D9/434**
(58) **Field of Classification Search** D9/751,
D9/456, 455, 438, 435, 434, 433, 419, 416;
D2/627; 221/63; 206/824, 429, 409, 195,
206/194
See application file for complete search history.

OTHER PUBLICATIONS

PakTech, Product Page, <http://www.paktech-opi.com/products/index.html>, visited on Mar. 23, 2004.
PakTech, Home Page, <http://www.paktech-opi.com>, visited on Mar. 23, 2004.

* cited by examiner

Primary Examiner—Robert M. Spear
Assistant Examiner—Susan Bennett Hattan
(74) *Attorney, Agent, or Firm*—Michael Best & Friedrich LLP

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,509,231 A 4/1985 Paxton
4,524,734 A 6/1985 Miller
4,631,783 A 12/1986 Hayashi
4,783,886 A 11/1988 Koppe
5,138,748 A 8/1992 Welles
5,306,060 A 4/1994 Borg
D349,459 S * 8/1994 Borg D9/455
5,334,122 A * 8/1994 Cole et al. 482/130
5,346,271 A * 9/1994 Erickson 294/87.2
D360,362 S * 7/1995 Strong D9/455
RE35,288 E 7/1996 Borg
5,702,039 A 12/1997 Olaiz
5,735,562 A 4/1998 Borg
5,806,904 A * 9/1998 Smith 294/31.2
6,129,397 A 10/2000 Borg
6,283,346 B1 9/2001 Thomas
D449,685 S * 10/2001 Morrison D24/128


(57) **CLAIM**

We claim the ornamental design for a container tether, as shown and described in FIGS. 1 and 2.

DESCRIPTION

FIG. 1 is a perspective view of another container tether embodying the present invention;
FIG. 2 is a top view of the container tether of FIG. 1;
FIG. 3 is a bottom view of the container tether of FIG. 1;
FIG. 4 is a front view of the container tether of FIG. 1;
FIG. 5 is a rear view of the container tether of FIG. 1;
FIG. 6 is a left side view of the container tether of FIG. 1;
and,
FIG. 7 is a right side view of the container tether of FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7