



US00D535775S

(12) **United States Design Patent**
Lueken

(10) **Patent No.:** **US D535,775 S**
(45) **Date of Patent:** **** Jan. 23, 2007**

(54) **DIRECT BURIAL FLOODLIGHT**

(75) Inventor: **Thomas Carl Lueken**, Pomona, CA (US)

(73) Assignee: **Kim Lighting, Inc.**, City of Industry, CA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/205,191**

(22) Filed: **May 6, 2004**

(51) **LOC (8) Cl.** **26-05**

(52) **U.S. Cl.** **D26/72; D26/67; D26/93**

(58) **Field of Classification Search** D26/63,
D26/67, 72, 74; D99/17, 18; 362/148, 269,
362/285, 287, 319, 364, 372, 375, 427, 153,
362/153.1

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|---|---|---------|---------------|-------|---------|
| 1,860,915 | A | * | 5/1932 | Whitman | | D99/18 |
| 1,966,922 | A | * | 7/1934 | Coleman | | D99/18 |
| D94,664 | S | * | 2/1935 | Cox | | D99/17 |
| 2,005,217 | A | * | 6/1935 | Brumund | | D99/17 |
| D130,258 | S | * | 11/1941 | Tucker | | D26/63 |
| D203,865 | S | * | 2/1966 | Cooper | | D26/63 |
| D298,656 | S | * | 11/1988 | Compton | | D26/24 |
| D303,033 | S | * | 8/1989 | Powell et al. | | D99/17 |
| D333,008 | S | * | 2/1993 | Frost et al. | | D26/63 |
| 5,595,029 | A | * | 1/1997 | Revoir et al. | | 52/104 |
| 5,609,408 | A | * | 3/1997 | Targetti | | 362/287 |
| 6,116,748 | A | * | 9/2000 | George | | 362/249 |

D484,629 S * 12/2003 Fong et al. D26/63

* cited by examiner

Primary Examiner—Clare E Heflin

(74) *Attorney, Agent, or Firm*—Orrick, Herrington & Sutcliff, LLP

(57) **CLAIM**

The ornamental design for a direct burial floodlight, as shown and described.

DESCRIPTION

FIG. 1 is a top view of a first embodiment of the new design with ribs,

FIG. 2 is a first or left side view thereof,

FIG. 3 is an end view thereof, the opposite end being the same,

FIG. 4 is the opposite side view from FIG. 2 or right side view, and

FIG. 5 is a top view of a second embodiment without the ribs of the FIG. 1–FIG. 4 embodiment,

FIG. 6 is a first side view thereof,

FIG. 7 is an end view thereof, the opposite end being the same,

FIG. 8 is the opposite side view from FIG. 7, and

FIG. 9 is a third embodiment of the new design having a flat side rather than a curved side as seen in FIGS. 3 and 7,





FIG. 10 is a first side view thereof,

FIG. 11 is an end view thereof, the opposite end being the same; and,

FIG. 12 is the opposite side view from FIG. 11.

The bottom surface of the three embodiments of the direct burial floodlight forms no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9



FIG. 10




FIG. 11




FIG. 12