



US00D535814S

(12) **United States Design Patent**  
**Siteman**

(10) **Patent No.:** **US D535,814 S**

(45) **Date of Patent:** **\*\* Jan. 30, 2007**

(54) **PROTECTIVE CANE**

(76) Inventor: **Walter Denis Siteman**, 1515-3044  
Clearbrook Rd., Abbotsford, B.C. (CA),  
V2T 4N4

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/259,236**

(22) Filed: **May 5, 2006**

**Related U.S. Application Data**

(62) Division of application No. 29/216,548, filed on Nov. 5,  
2004, now Pat. No. Des. 520,733.

(51) **LOC (8) Cl.** ..... **03-03**

(52) **U.S. Cl.** ..... **D3/7; D22/117**

(58) **Field of Classification Search** ..... D3/5-17;  
135/65, 68, 72, 74, 75, 77, 80, 910, 911;  
362/102; D22/117, 199; 224/914; 463/47.2;  
D21/567

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D230,150	S	*	1/1974	Anderson	.....	D22/117
D256,404	S	*	8/1980	Barfod	.....	D3/10
4,479,171	A	*	10/1984	Mains	.....	362/102
4,842,277	A	*	6/1989	LaCroix	.....	463/47.3
4,949,966	A	*	8/1990	Bopp	.....	463/47.4
4,985,960	A	*	1/1991	Zun	.....	16/35 R
D315,391	S	*	3/1991	Fabrey	.....	D22/117
D315,392	S	*	3/1991	Lew	.....	D22/117
D333,692	S	*	3/1993	Parsons	.....	D22/117
D333,693	S	*	3/1993	Parsons	.....	D22/117
D334,790	S	*	4/1993	Jaramillo	.....	D22/117
5,347,436	A	*	9/1994	Clyde et al.	.....	362/102
D354,328	S	*	1/1995	McCarty	.....	D22/117
5,405,134	A	*	4/1995	Wolfram	.....	463/47.4
5,465,960	A	*	11/1995	Bickerton et al.	.....	463/47.6
D401,374	S	*	11/1998	Lum	.....	D23/347

6,386,726	B1	*	5/2002	Macierowski et al.	.....	362/102
6,499,855	B1	*	12/2002	Kukuk	.....	362/102
D474,827	S	*	5/2003	Todd	.....	D22/117
6,761,639	B2	*	7/2004	Todd	.....	463/47.2
2002/0119825	A1	*	8/2002	Evenson	.....	463/47.2

\* cited by examiner

*Primary Examiner*—Sandra S. Snapp

(74) *Attorney, Agent, or Firm*—Weldon F. Green

(57) **CLAIM**

The ornamental design for a protective cane, as shown and described.

**DESCRIPTION**

FIG. 1 is a front perspective view of a first embodiment of a protective cane embodying the design;

FIG. 2 is a rear perspective view of the protective cane of FIG. 1;

FIG. 3 is a front elevation view of the protective cane of FIG. 1;

FIG. 4 is a right side elevation view of the protective cane of FIG. 1;

FIG. 5 is a rear elevation view of the protective cane of FIG. 1;

FIG. 6 is a left side elevation view of the protective cane of FIG. 1;

FIG. 7 is a top plan view of the protective cane of FIG. 1;

FIG. 8 is a bottom plan view of the protective cane of FIG. 1;


FIG. 9 is a front perspective view of a second embodiment of a protective cane;

FIG. 10 is a bottom plan view of the protective cane of FIG. 9;

FIG. 11 is a front perspective view of a third embodiment of a protective cane; and,

FIG. 12 is a bottom plan view of the protective cane of FIG. 11.

**1 Claim, 2 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6



FIG. 7



FIG. 8




FIG. 9




FIG. 11




FIG. 10



FIG. 12