

US00D535861S

(12) **United States Design Patent**
Snowball

(10) **Patent No.: US D535,861 S**
(45) **Date of Patent: ** Jan. 30, 2007**

(54) **POWERED NAILER TOOL**

(75) Inventor: **Colin Snowball**, Pocklington (GB)

(73) Assignee: **GMCA Pty Ltd**, Victoria (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/257,986**

(22) Filed: **Apr. 13, 2006**

(30) **Foreign Application Priority Data**

Feb. 22, 2006 (EM) 000485677

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/69**

(58) **Field of Classification Search** D8/14.1,
D8/61, 62, 63, 64, 65, 66, 67, 68, 69, 70;
81/57.11, 429, 464, 465, 466, 469, 489; 173/13,
173/104, 114, 168, 169, 170, 171, 178, 201,
173/211, 213, 217; 408/20, 124, 125, 234,
408/241 R; 451/358; 310/50; 227/8, 113,
227/114, 120, 130, 136, 142
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D328,556 S * 8/1992 Fushiya et al. D8/69
D377,591 S * 1/1997 Hattori D8/68
D378,654 S * 4/1997 Matsuoka et al. D8/69
5,671,815 A * 9/1997 Kabatnik et al. 310/50
5,881,823 A * 3/1999 Kabatnik et al. 173/217
D442,452 S * 5/2001 Stirm et al. D8/67
6,223,835 B1 * 5/2001 Habedank et al. 173/217
D447,036 S * 8/2001 Netzler D8/69
6,357,533 B1 * 3/2002 Buchholz et al. 310/50
6,412,572 B2 * 7/2002 Habedank et al. 310/50
6,634,439 B2 * 10/2003 Driessen 173/170
D502,377 S * 3/2005 Aglassinger D8/69
6,971,456 B2 * 12/2005 Yamada et al. 173/168
D515,382 S * 2/2006 Andriolo D8/69

7,017,680 B2 * 3/2006 Arich et al. 173/217
2001/0040036 A1 * 11/2001 Habedank et al. 173/217
2003/0094294 A1 * 5/2003 Fritz 173/171
2004/0251041 A1 * 12/2004 Grossman 173/217
2005/0034883 A1 * 2/2005 Yamada et al. 173/217
2005/0247466 A1 * 11/2005 Andriolo et al. 173/170
2006/0060365 A1 * 3/2006 Kunz 173/217
2006/0144603 A1 * 7/2006 Arich et al. 173/114

FOREIGN PATENT DOCUMENTS

GB 3015689 S * 12/2003

* cited by examiner

Primary Examiner—Gary D. Watson

Assistant Examiner—T. Chase Nelson

(74) *Attorney, Agent, or Firm*—Head, Johnson & Kachigian

(57) **CLAIM**

The ornamental design for a powered nailer tool, as shown and described.

DESCRIPTION

FIG. 1 is a top view of the powered nailer tool of the present invention;

FIG. 2 is a bottom view of the powered nailer tool of the present invention;

FIG. 3 is a front view of the powered nailer tool of the present invention;

FIG. 4 is a rear view of the powered nailer tool of the present invention;


FIG. 5 is a left view of the powered nailer tool of the present invention;

FIG. 6 is a right view of the powered nailer tool of the present invention.

FIG. 7 is a right perceptive view of the powered nailer tool of the present invention; and,

FIG. 8 is a left perceptive view of the powered nailer tool of the present invention.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2

FIG. 4





FIG. 3






FIG. 5




FIG. 6

FIG. 7




FIG. 8

