

US00D535895S

(12) **United States Design Patent**  
**Simon et al.**

(10) **Patent No.:** **US D535,895 S**

(45) **Date of Patent:** **\*\* Jan. 30, 2007**

(54) **WATERING TIMER HOUSING**

(75) Inventors: **Timothy M. Simon**, San Francisco, CA  
(US); **Matthew T. Fisher**, Reno, NV  
(US)

(73) Assignee: **Tim Simon, Inc.**, San Francisco, CA  
(US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/244,383**

(22) Filed: **Dec. 8, 2005**

(51) **LOC (8) Cl.** ..... **10-03**

(52) **U.S. Cl.** ..... **D10/40**

(58) **Field of Classification Search** ..... D10/40,  
D10/106; D13/162, 162.1; 700/284; 239/69,  
239/70; 368/187, 285, 82-84, 97-123, 276-278,  
368/316, 317

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D241,323 S	*	9/1976	Sparks	.....	D10/106
4,633,905 A	*	1/1987	Wang	.....	137/624.11
D291,069 S	*	7/1987	Fenne	.....	D10/40
4,827,155 A	*	5/1989	Firebaugh	.....	307/141.4
4,858,207 A	*	8/1989	Buchner	.....	368/10
4,943,917 A	*	7/1990	Mylne, III	.....	700/284
D310,791 S	*	9/1990	Farrell et al.	.....	D10/106
5,025,361 A	*	6/1991	Pitman et al.	.....	700/14
D321,489 S	*	11/1991	Heimbürger et al.	.....	D10/97
5,293,554 A	*	3/1994	Nicholson	.....	700/284

5,363,290 A	*	11/1994	Doup et al.	.....	700/16
D366,837 S	*	2/1996	Cooney	.....	D10/40
D380,397 S	*	7/1997	Chan	.....	D10/40
D406,567 S	*	3/1999	Roman	.....	D13/162.1
5,921,280 A	*	7/1999	Ericksen et al.	.....	137/624.11
6,259,955 B1	*	7/2001	Brundisini et al.	.....	700/15
6,337,635 B1	*	1/2002	Ericksen et al.	.....	340/825.69
6,507,775 B1	*	1/2003	Simon et al.	.....	700/284
D492,264 S	*	6/2004	Perez et al.	.....	D13/162
D513,497 S	*	1/2006	Whitehouse	.....	D13/162

\* cited by examiner

*Primary Examiner*—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—James F. Hann; Haynes Beffel & Wolfeld LLP


(57) **CLAIM**


The ornamental design for a watering timer housing, as shown and described.

**DESCRIPTION**

The watering timer housing is used to contain a watering timer. The watering timer is typically used to control lawn sprinklers and drip irrigation systems for lawns and plants. FIG. 1 is a front, right side, bottom perspective view of a watering timer housing showing our new design; FIG. 2 is a front elevational view thereof; FIG. 3 is a bottom plan view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a left side elevation thereof; FIG. 6 is a top plan view thereof; and, FIG. 7 is a back elevational view thereof.

**1 Claim, 4 Drawing Sheets**





*FIG. 1*




FIG. 2







FIG. 3



*FIG. 4*




*FIG. 5*



*FIG. 6*





*FIG. 7*