



US00D535912S

(12) **United States Design Patent**  
**Pontaoe**

(10) **Patent No.:** **US D535,912 S**

(45) **Date of Patent:** **\*\* Jan. 30, 2007**

(54) **BUCKLE MEMBER**

(75) Inventor: **John S. Pontaoe**, Chicago, IL (US)

(73) Assignee: **Illinois Tool Works Inc.**, Glenview, IL (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/253,724**

(22) Filed: **Feb. 10, 2006**

(51) **LOC (8) Cl.** ..... **02-07**

(52) **U.S. Cl.** ..... **D11/216**

(58) **Field of Classification Search** ..... D11/200,  
D11/201, 208–210, 212–218, 220, 230–234,  
D11/236–237, 86–87, 94; 63/15.2, 15; 24/307,  
24/625, 616, 200, 196, 171, 169, 112, 614,  
24/615

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D375,919 S \* 11/1996 Krauss ..... D11/216  
D397,641 S \* 9/1998 Hamilton et al. .... D11/216  
D405,724 S \* 2/1999 Anscher ..... D11/216

D425,443 S \* 5/2000 Anscher ..... D11/216

6,757,944 B2 7/2004 Buscart

D502,125 S \* 2/2005 Yoshiguchi ..... D11/216

\* cited by examiner

*Primary Examiner*—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Paul F. Donovan; Mark W. Croll

(57) **CLAIM**

The ornamental design for a buckle member, as shown and described herein.

**DESCRIPTION**

FIG. 1 is a top perspective view of a buckle member showing the new design;

FIG. 2 is a top view thereof;

FIG. 3 is a bottom view thereof;

FIG. 4 is a right side view thereof;


FIG. 5 is a left side view thereof;


FIG. 6 is a front view thereof; and,

FIG. 7 is a back view thereof.


The broken line portions of the disclosure are for illustrative purposes only and form no part of the claimed design.

**1 Claim, 5 Drawing Sheets**







**Fig. 1**




**Fig. 2**




**Fig. 3**




**Fig. 4**



**Fig. 5**



**Fig. 6**



**Fig. 7**