



US00D535922S

(12) **United States Design Patent** (10) **Patent No.:** **US D535,922 S**
Kulla (45) **Date of Patent:** **** Jan. 30, 2007**

(54) **SURFACE CONFIGURATION OF A FRONT BUMPER FOR A VEHICLE**

D504,365 S * 4/2005 Pfeiffer D12/169
D504,641 S * 5/2005 Nakajima D12/169
D508,879 S * 8/2005 Pfeiffer et al. D12/169

(75) Inventor: **Matthias Kulla**, Leonberg (DE)

* cited by examiner

(73) Assignee: **Dr. Ing. h.c.F. Porsche Aktiengesellschaft**, Stuttgart (DE)

Primary Examiner—Melody N. Brown

(74) *Attorney, Agent, or Firm*—Crowell & Moring LLP

(**) Term: **14 Years**

(57) **CLAIM**

(21) Appl. No.: **29/222,969**

The ornamental design for a surface configuration of a front bumper for a vehicle, as shown and described.

(22) Filed: **Feb. 8, 2005**

DESCRIPTION

(30) **Foreign Application Priority Data**

Aug. 9, 2004 (EM) 000212519
Aug. 9, 2004 (EM) 000212527

This application is related to the following co-pending application, of the inventor, filed on even date herewith: Application Ser. No. 29/223,083, entitled “Surface Configuration of the Front and Rear Portions of a Vehicle, Toy and/or Other Replicas”.

(51) **LOC (8) Cl.** **12-16**

(52) **U.S. Cl.** **D12/169**

(58) **Field of Classification Search** D12/90–92,
D12/86, 169, 196, 163; 296/180.1, 180.2;
293/102, 113, 115, 117, 120

See application file for complete search history.

FIG. 1 is a left perspective view of a surface configuration of a front bumper for a vehicle according to my novel design;

FIG. 2 is a right side view of the surface configuration of a front bumper for a vehicle according to my novel design; and,


FIG. 3 is a front view of the surface configuration of a front bumper for a vehicle according to my novel design.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D475,958 S * 6/2003 Yokomaku D12/169
D479,822 S * 9/2003 Yokomaku D12/169

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3