



US00D535971S

(12) **United States Design Patent**  
**Andrade et al.**

(10) **Patent No.:** **US D535,971 S**  
(45) **Date of Patent:** **\*\* Jan. 30, 2007**

(54) **MAIL DELIVERY TRANSMITTER AND RECEIVER**

(76) Inventors: **Ecilda Andrade**, 51 Nye St., New Bedford, MA (US) 02746; **Shantel DeOliveira**, 51 Nye St., New Bedford, MA (US) 02746

(\*\*) **Term:** **14 Years**

(21) **Appl. No.:** **29/227,790**

(22) **Filed:** **Apr. 18, 2005**

(51) **LOC (8) Cl.** ..... **14-03**

(52) **U.S. Cl.** ..... **D14/155**

(58) **Field of Classification Search** ..... D14/358, D14/299, 248, 240, 218, 191, 159, 188, 162, D14/155, 137, 257, 226; D13/168, 110, 144; D10/121, 104, 106; 439/668; 455/353, 351; 232/37, 34; 340/569

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

4,633,236	A	12/1986	Buhl	
4,872,210	A	* 10/1989	Benages	340/569
5,239,305	A	8/1993	Murphy	
5,255,843	A	* 10/1993	Deakyne	232/35
D346,339	S	* 4/1994	Lintick	D10/104
D348,410	S	7/1994	Adams et al.	D10/104
5,440,294	A	8/1995	Mercier	
D386,100	S	* 11/1997	Thibault	D10/106
D394,408	S	* 5/1998	Davila	D10/106
D399,495	S	* 10/1998	Bachschmid	D13/177
5,923,255	A	* 7/1999	Vahdatshoar	340/573.4
D427,098	S	6/2000	Biary	
D427,099	S	* 6/2000	Hunter	D10/104

6,114,959	A	* 9/2000	Bennett	340/569
D433,645	S	* 11/2000	Hanson	D10/106
6,275,154	B1	* 8/2001	Bennett et al.	340/569
6,313,733	B1	* 11/2001	Kyte	340/7.22
D453,698	S	2/2002	Marks	D10/104
D464,282	S	10/2002	Kinney	D10/106
6,459,375	B1	10/2002	Wallace	
6,462,659	B1	10/2002	Schuette	
D476,588	S	7/2003	Lee	D10/104
6,593,851	B1	7/2003	Bornstein	340/539.15
D515,447	S	* 2/2006	Gilliam	D10/106
7,043,224	B1	5/2006	Baxter	455/401

\* cited by examiner

*Primary Examiner*—Cathron C. Brooks

*Assistant Examiner*—Austin Murphy

(57) **CLAIM**



The ornamental design for a mail delivery transmitter and receiver, as shown.

**DESCRIPTION**

FIG. 1 is a front elevational view showing my new design of the mail delivery transmitter and receiver; FIG. 2 is a rear elevational view thereof; FIG. 3 is a left side elevational view thereof; FIG. 4 is a right side elevational view thereof; FIG. 5 is a top plan view thereof; FIG. 6 is a bottom plan view thereof; FIG. 7 is a front isometric view thereof; and, FIG. 8 is an isometric view of the transmitter button portion of my design, shown separately to illustrate its position of use.

The broken lines shown in the drawings form no part of the claimed design.

**1 Claim, 4 Drawing Sheets**






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5






FIG. 6






FIG. 7




FIG. 8