

US00D536071S

(12) **United States Design Patent** (10) **Patent No.:** **US D536,071 S**
Wortmann et al. (45) **Date of Patent:** **** Jan. 30, 2007**

(54) **WEDGE SEAL WITH EXTENDED PERIMETER**

D447,223 S 8/2001 Mattsson et al. D23/269
D498,826 S 11/2004 Takahiro et al. D23/269
2005/0029483 A1 2/2005 Bancroft et al. 251/306

(75) Inventors: **Steven A. Wortmann**, Easton, PA (US);
Richard R. Weston, Nazareth, PA (US); **Philip W. Bancroft**, Belvidere, NJ (US)

OTHER PUBLICATIONS

U.S. Appl. No. 29/228,170, filed Apr. 20, 2005, entitled "Wedge Seal with Extended Perimeter", (Wortmann et al), allowed Mar. 21, 2006.

U.S. Appl. No. 29/228,139, filed Apr. 20, 2005, entitled "Wedge Seal with Grooved Perimeter", (Wortmann et al), allowed Mar. 21, 2006.

U.S. Appl. No. 29/228,153, filed Apr. 20, 2005, entitled "Wedge Seal with Angled Perimeter", (Wortmann et al), allowed Mar. 21, 2006.

U.S. Appl. No. 29/228,169, filed Apr. 20, 2005, entitled "Wedge Seal with Discontinuous Perimeter", (Wortmann et al), allowed Mar. 21, 2006.

(73) Assignee: **Victaulic Company**, Easton, PA (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/259,214**

(22) Filed: **May 4, 2006**

Related U.S. Application Data

(62) Division of application No. 29/228,170, filed on Apr. 20, 2005, now Pat. No. Des. 527,445.

(51) **LOC (8) Cl.** **23-01**

(52) **U.S. Cl.** **D23/269**

(58) **Field of Classification Search** D23/269;
285/231-2, 95; 277/910; 251/306

See application file for complete search history.

Primary Examiner—Robin Webster

(74) *Attorney, Agent, or Firm*—Synnestvedt & Lechner LLP

(57) **CLAIM**

The ornamental design for a wedge seal with extended perimeter, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of the embodiment of our design for a ring seal;

FIG. 2 is a front view of the design for the ring seal shown in FIG. 1;

FIG. 3 is a rear view of the design for the ring seal shown in FIG. 1;

FIG. 4 is a left side view of the design for the ring seal shown in FIG. 1, the right side view being identical thereto; and, FIG. 5 is a top view of the design for the ring seal shown in FIG. 1, the bottom view being identical thereto.


The broken lines in FIGS. 1-5 are in no way intended to form part of the claimed design and are for illustrative purposes only.

1 Claim, 4 Drawing Sheets

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,304,050	A	2/1967	Fawkes	251/306
3,409,269	A	11/1968	Fawkes	251/175
3,540,696	A	11/1970	Fawkes	251/306
3,544,066	A	12/1970	Fawkes	251/306
3,726,503	A	4/1973	Fawkes	251/173
3,799,501	A	3/1974	Hartman	251/306
4,304,392	A	12/1981	Maciulaitis	251/173
4,385,747	A	5/1983	Renaud, Jr. et al.	251/315
4,623,122	A	11/1986	Gambetta	251/328
D356,456	S	3/1995	Henry	D6/455
5,560,587	A	10/1996	McCutcheon et al.	251/327
D391,628	S	3/1998	Carwile	D23/269
5,897,119	A	4/1999	McMillen	277/562
D437,034	S	1/2001	Stout, Jr.	D23/269
6,202,983	B1	3/2001	Hartman et al.	251/306
6,206,376	B1	3/2001	Hartman et al.	277/314






FIG.1




FIG. 2




FIG. 3




FIG. 4




FIG. 5