

US00D536245S

(12) **United States Design Patent** (10) **Patent No.:** **US D536,245 S**
Bruun (45) **Date of Patent:** **** Feb. 6, 2007**

(54) **COMBINATION BOX AND LID**

(75) Inventor: **Gitte Clausen Bruun**, Aalborg (DK)

(73) Assignee: **Jarnes A/S**, Hjallerup (DK)

(**) Term: **14 Years**

(21) Appl. No.: **29/209,600**

(22) Filed: **Jul. 20, 2004**

(30) **Foreign Application Priority Data**

Apr. 2, 2004 (EM) 160395

(51) **LOC (8) Cl.** **09-03**

(52) **U.S. Cl.** **D9/432; D9/422**

(58) **Field of Classification Search** D9/432,
D9/422, 418, 428, 430, 414, 420, 415; D6/407;
206/45.34, 45.31, 44 R; 229/125.12, 220,
229/120, 125.01; 220/242, 331, 8, 252, 253
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D342,892 S * 1/1994 Teerds D9/759
D352,895 S * 11/1994 van Loo D9/422
D407,972 S * 4/1999 Hilton D9/422
D421,856 S * 3/2000 Kirihara et al. D6/407
D456,251 S * 4/2002 Beeks D9/418
D479,462 S * 9/2003 Chan D9/422
D491,805 S * 6/2004 Loth et al. D9/422
D495,250 S * 8/2004 Learey D9/428

* cited by examiner

Primary Examiner—Stella Reid

Assistant Examiner—Mark A. Goodwin

(74) *Attorney, Agent, or Firm*—Dykema Gossett PLLC

(57) **CLAIM**

The ornamental design for a combination box and lid, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment of a combination box and lid according to my design, the lid covering an upper opening of the box,

FIG. 2 is a side elevational view thereof, the opposite side view being a mirror image,

FIG. 3 is a top perspective view thereof,

FIG. 4 is another top perspective view thereof similar to FIG. 3 wherein the lid is moved sideways relative to the box to expose a portion of its upper opening,

FIG. 5 is a top perspective view thereof with the lid reversed in positioning on the box so as to cover a bottom wall thereof,

FIG. 6 is another top perspective view thereof similar to FIG. 5 wherein the lid is moved sideways relative to the box, FIG. 7 is a front elevational view of a second embodiment of a combination box and lid according to my design, the lid covering an upper opening of the box,

FIG. 8 is a side elevational view thereof, the opposite side view being a mirror image,

FIG. 9 is a top perspective view thereof,

FIG. 10 is a top perspective view thereof similar to FIG. 9 wherein the lid is moved sideways relative to the box to expose a portion of its upper opening,

FIG. 11 is a top perspective view thereof with the lid reversed in positioning on the box so as to cover its bottom wall,

FIG. 12 is a top perspective view similar to FIG. 11 wherein the lid is moved sideways relative to the box,

FIG. 13 is a front elevational view of a third embodiment of a combination box and lid according to my new design,

FIG. 14 is a side elevation view thereof, the opposite side view being a mirror image,


FIG. 15 is a top perspective view thereof,

FIG. 16 is a another top perspective view similar to FIG. 15 wherein the lid is moved sideways relative to the box to expose a portion of its upper opening,

FIG. 17 is a top perspective view thereof with the lid reversed in positioning on the box to cover its bottom wall; and,

FIG. 18 is a top perspective view similar to FIG. 17 wherein the lid is moved sideways relative to the box.

1 Claim, 6 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18