



US00D536364S

(12) **United States Design Patent**
Kalbach

(10) **Patent No.:** **US D536,364 S**
(45) **Date of Patent:** **** Feb. 6, 2007**

(54) **EYEGLASS RETAINER**

(75) Inventor: **Edward Van Lee Kalbach**, Nibley, UT (US)

(73) Assignee: **EK Ekcessories, Inc.**, Nibley, UT (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/175,208**

(22) Filed: **Jan. 31, 2003**

(51) **LOC (8) Cl.** **16-06**

(52) **U.S. Cl.** **D16/339**

(58) **Field of Classification Search** D16/300,
D16/303, 309, 311, 312, 330, 335, 336, 339;
D21/804; D2/866, 878; 351/41, 43, 44, 51,
351/52, 123, 156, 157, 158; 2/448, 452

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,819,738 A * 8/1931 Daniels 351/157

(Continued)

FOREIGN PATENT DOCUMENTS

EP 0058772 12/1981

IT 502283 11/1954

OTHER PUBLICATIONS

Frames Catalog Harley-Davidson Eyewear, p. 25, Jun. 1996.

Primary Examiner—Raphael Barkai

(74) *Attorney, Agent, or Firm*—TraskBritt, P.C.

(57) **CLAIM**

The ornamental designs for an eyeglass retainer, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of an eyeglass retainer according to my new design. The eyeglass retainer is shown in association with a pair of eyeglasses, in a first installed condition. The pair of eyeglasses, shown in broken lines, does not form part of the claimed design;

FIG. 2 is a perspective view of the eyeglass retainer of FIG. 1, with the eyeglass retainer being shown in a second installed condition with respect to the pair of eyeglasses;

FIG. 3 is a perspective view of the eyeglass retainer of FIG. 1, with the eyeglass retainer being shown in a third installed condition with respect to the pair of eyeglasses;

FIG. 4 is a top plan view of the eyeglass retainer of FIG. 1, the bottom plan view being a mirror image thereof;

FIG. 5 is a right side view of the eyeglass retainer of FIG. 1, the left side view being a mirror image thereof;

FIG. 6 is a front view of the eyeglass retainer of FIG. 1;

FIG. 7 is a rear view of the eyeglass retainer of FIG. 1;

FIG. 8 is a perspective view of a second embodiment of an eyeglass retainer according to my new design. The eyeglass retainer is shown in association with a pair of eyeglasses. The pair of eyeglasses, shown in broken lines, does not form part of the claimed design;

FIG. 9 is a top plan view of the eyeglass retainer of FIG. 8, the bottom plan view being a mirror image thereof;

FIG. 10 is a right side view of the eyeglass retainer of FIG. 8, the left side view being a mirror image thereof;

FIG. 11 is a front view of the eyeglass retainer of FIG. 8;

FIG. 12 is a rear view of the eyeglass retainer of FIG. 8.

FIG. 13 is a perspective view of a third embodiment of an eyeglass retainer according to my new design. The eyeglass retainer is shown in association with a pair of eyeglasses. The pair of eyeglasses, shown in broken lines, does not form part of the claimed design;

FIG. 14 is a top plan view of the eyeglass retainer of FIG. 13, the bottom plan view being a mirror image thereof;

FIG. 15 is a right side view of the eyeglass retainer of FIG. 13, the left side view being a mirror image thereof;

FIG. 16 is a front view of the eyeglass retainer of FIG. 13;

FIG. 17 is a rear view of the eyeglass retainer of FIG. 13;

FIG. 18 is a perspective view of a fourth embodiment of an eyeglass retainer according to my new design. The eyeglass retainer is shown in association with a pair of eyeglasses. The pair of eyeglasses, shown in broken lines, does not form part of the claimed design;

FIG. 19 is a top plan view of the eyeglass retainer of FIG. 18, the bottom plan view being a mirror image thereof;

FIG. 20 is a right side view of the eyeglass retainer of FIG. 18, the left side view being a mirror image thereof;



FIG. 21 is a front view of the eyeglass retainer of FIG. 18;

and,

FIG. 22 is a rear view of the eyeglass retainer of FIG. 18.

The broken line representation of the pair of eyeglasses in FIGS. 1-3, 8, 13 and 18 represents environmental structure and is for illustrative purposes only. The broken line representation forms no part of the claimed design.

1 Claim, 14 Drawing Sheets



US D536,364 S

Page 2

U.S. PATENT DOCUMENTS

2,481,946 A	9/1949	Pendleton		5,157,425 A	10/1992	Liu	
2,539,922 A	1/1951	Nyberg		5,369,452 A	11/1994	Williams	
2,660,092 A	11/1953	Bloom		D354,759 S	1/1995	Wolff	
2,704,961 A	3/1955	Weil		D354,760 S	1/1995	Wolff	
3,397,026 A	8/1968	Spina		5,575,042 A	11/1996	Kalbach	
3,450,467 A	6/1969	Phillips		D382,503 S	8/1997	Kalbach	
3,874,776 A	4/1975	Seron		5,654,787 A	8/1997	Barison	
3,879,804 A	4/1975	Lawrence		D403,346 S	* 12/1998	Roberts D16/339
4,133,604 A	1/1979	Fuller		5,860,191 A	1/1999	Sieger	
4,541,696 A	* 9/1985	Winger et al. 351/123	D416,038 S	11/1999	Kalbach	
4,657,364 A	4/1987	Murrell		6,000,795 A	12/1999	Van Rysselberghe	
D290,964 S	7/1987	Kalbach		D418,774 S	1/2000	Kalbach	
D291,894 S	9/1987	Weisenfeld et al.		D420,039 S	* 2/2000	Carey et al. D16/339
4,696,556 A	9/1987	Perry, III		6,092,897 A	7/2000	Smerdon, Jr.	
D309,619 S	* 7/1990	Kalbach D16/339	D432,401 S	10/2000	Kalbach	
4,976,531 A	12/1990	Kahaney		6,182,334 B1	2/2001	Davancens	
4,978,210 A	12/1990	Lundbeck		D456,870 S	* 5/2002	Suissa D21/804
5,002,381 A	3/1991	Murrell		D462,523 S	9/2002	Kalbach	
5,015,085 A	5/1991	May		6,478,419 B1	* 11/2002	McDaniel 351/43
D320,367 S	10/1991	Kalbach		D467,416 S	12/2002	Kalbach	
5,092,668 A	3/1992	Welch et al.		6,511,176 B1	* 1/2003	Kliot 351/156
D328,908 S	8/1992	Kalbach		D472,798 S	4/2003	Kalbach	
5,151,778 A	9/1992	Conley					

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5



Fig. 6



Fig. 7




Fig. 8




Fig. 9




Fig. 10



Fig. 11



Fig. 12




Fig. 13




Fig. 14



Fig. 15



Fig. 16




Fig. 17




Fig. 18




Fig. 19




Fig. 20



Fig. 21



Fig. 22