



US00D536482S

(12) **United States Design Patent** (10) **Patent No.:** **US D536,482 S**
Koenemann (45) **Date of Patent:** **** Feb. 6, 2007**

(54) **HAIR DRYER**

(75) Inventor: **Gary Koenemann**, El Paso, TX (US)

(73) Assignee: **Helen of Troy Limited**, St. Michael (BB)

(**) Term: **14 Years**

(21) Appl. No.: **29/177,287**

(22) Filed: **Mar. 10, 2003**

(51) **LOC (8) Cl.** **28-03**

(52) **U.S. Cl.** **D28/13**

(58) **Field of Classification Search** D28/12-19;
34/96-101; 392/380-385

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | | |
|-----------|----|---|---------|-----------------|-------|---------|
| 4,711,988 | A | * | 12/1987 | Thaler et al. | | 392/379 |
| 6,285,828 | B1 | * | 9/2001 | Cafaro | | 392/385 |
| D455,859 | S | * | 4/2002 | Lai | | D28/13 |
| D469,216 | S | * | 1/2003 | Lai | | D28/13 |
| D470,975 | S | * | 2/2003 | Rizzuto, Jr. | | D28/13 |
| D470,976 | S | * | 2/2003 | Rizzuto, Jr. | | D28/13 |
| D472,345 | S | * | 3/2003 | Altamore et al. | | D28/13 |
| D472,672 | S | * | 4/2003 | Altamore et al. | | D28/13 |
| D473,012 | S | * | 4/2003 | Altamore | | D28/13 |
| 6,766,590 | B2 | * | 7/2004 | Altamore et al. | | 34/96 |

OTHER PUBLICATIONS

Hong Kong Enterprise, Jun. 1995, p. 460, hair dryer PT-25.*

* cited by examiner

Primary Examiner—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Vinson & Elkins L.L.P.

(57) **CLAIM**

The ornamental design for a hair dryer, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational of a hair dryer showing my new design;

FIG. 2 is a rear elevational view thereof;

FIG. 3 is a left side elevational view thereof; the right side elevational view thereof being a mirror image of the left side elevational view shown


FIG. 4 is a top plan view thereof;

FIG. 5 is a bottom plan view thereof; and,

FIG. 6 is a left side perspective view thereof.

The electrical cord and plug have been omitted from FIGS. 5 and 6 for ease of illustration. The electrical cord is shown broken away in FIGS. 1, 2, and 3 to indicate indeterminate length. The electrical cord is shown in an alternate position in FIG. 3.

1 Claim, 4 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6