



US00D536599S

(12) **United States Design Patent**  
**Livacich**

(10) **Patent No.:** **US D536,599 S**

(45) **Date of Patent:** **\*\* Feb. 13, 2007**

(54) **BRACKET**

(75) Inventor: **John Livacich**, Sunnyvale, CA (US)

(73) Assignee: **Evrio, Inc.**, Sunnyvale, CA (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/231,279**

(22) Filed: **Jun. 1, 2005**

(51) **LOC (8) Cl.** ..... **08-05**

(52) **U.S. Cl.** ..... **D8/349**; D8/387; D8/388

(58) **Field of Classification Search** ..... D8/349,  
D8/354, 24, 387-389; 411/383, 388, 502,  
411/510, 548

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

3,307,437	A	*	3/1967	Sontag	.....	81/124.4
4,878,793	A	*	11/1989	Hewison	.....	411/387.2
4,939,960	A	*	7/1990	Kinzli	.....	81/124.4
D401,135	S	*	11/1998	Willert	.....	D8/387
D409,060	S	*	5/1999	Lucy	.....	D8/24

6,662,688 B1 \* 12/2003 Avery ..... 81/124.5

\* cited by examiner

*Primary Examiner*—Holly H. Baynham

(57) **CLAIM**

The ornamental design for a bracket, as shown and described.

**DESCRIPTION**

Cross-reference to related applications: U.S. patent application Ser. No. 29/222,363.

FIG. 1 is a realistic perspective view of a bracket, showing my new design;

FIG. 2 is a left view thereof;

FIG. 3 is a right view thereof;

FIG. 4 is a top view thereof;


FIG. 5 is a bottom view thereof;

FIG. 6 is a front view thereof; and,

FIG. 7 is a back view thereof.

My bracket is characterized by four legs, where three substantially orthogonal legs are threaded and are of substantially equal length and the longer fourth leg is threaded.

**1 Claim, 3 Drawing Sheets**









Fig 1




**Fig 2**



**Fig 3**



**Fig 4**



**Fig 5**



**Fig 6**



**Fig 7**