



US00D536640S

(12) **United States Design Patent** (10) **Patent No.:** **US D536,640 S**
Kawamura et al. (45) **Date of Patent:** **** Feb. 13, 2007**

(54) **BUCKLE**

(75) Inventors: **Ryoji Kawamura**, Taipei (TW); **Chen Ming Hui**, Taoyuan (TW)

(73) Assignee: **YKK Corporation**, Tokyo (JP)

(**) Term: **14 Years**

(21) Appl. No.: **29/244,553**

(22) Filed: **Dec. 9, 2005**

(30) **Foreign Application Priority Data**

Jul. 28, 2005 (JP) 2005-021944

(51) **LOC (8) Cl.** **02-07**

(52) **U.S. Cl.** **D11/216**

(58) **Field of Classification Search** D11/200,
D11/201, 208–210, 212–218, 220, 230–234,
D11/236–237, 86–87, 94; 63/15.2, 15; 24/307,
24/625, 616, 200, 196, 171, 169, 112, 614,
24/615, 637, 484

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,606,552 A * 8/1986 Hultqvist 280/801.1
D342,465 S * 12/1993 Anthony et al. D11/218
6,061,883 A * 5/2000 Uehara 24/625
6,076,894 A * 6/2000 Busch 297/484
6,393,677 B1 * 5/2002 Anscher 24/630
6,543,101 B2 4/2003 Sack et al.
6,796,007 B1 * 9/2004 Anscher 24/633
D511,714 S * 11/2005 Pontaoe D11/216

FOREIGN PATENT DOCUMENTS

JP 9-308508 12/1997

* cited by examiner

Primary Examiner—Ralf Seifert
(74) *Attorney, Agent, or Firm*—Everest Intellectual Property Law Group; Michael S. Leonard

(57) **CLAIM**

The ornamental design for a buckle, as shown and described.

DESCRIPTION

FIG. 1 is a front view of a buckle of the claimed design.
FIG. 2 is a rear view of the buckle of FIG. 1.
FIG. 3 is a plan view of the buckle of FIG. 1.
FIG. 4 is a base view of the buckle of FIG. 1.
FIG. 5 is a right side view of the buckle of FIG. 1.
FIG. 6 is a perspective reference view of the buckle of FIG. 1.
FIG. 7 is a front view of a female member of the buckle of FIG. 1.
FIG. 8 is a rear view of the female member of FIG. 7.
FIG. 9 is a plan view of the female member of FIG. 7.
FIG. 10 is a base view of the female member of FIG. 7.
FIG. 11 is a right side view of the female member of FIG. 7.
FIG. 12 is a front view of a left male member of the buckle of FIG. 1.
FIG. 13 is a rear view of the left male member of FIG. 12.
FIG. 14 is a plan view of the left male member of FIG. 12.
FIG. 15 is a base view of the left male member of FIG. 12.
FIG. 16 is a left side view of the left male member of FIG. 12.
FIG. 17 is a right side view of the left male member of FIG. 12.
FIG. 18 is a front view of a right male member of the buckle of FIG. 1.
FIG. 19 is a rear view of the right male member of FIG. 18.
FIG. 20 is a plan view of the right male member of FIG. 18.
FIG. 21 is a base view of the right male member of FIG. 18.
FIG. 22 is a left side view of the right male member of FIG. 18; and,
FIG. 23 is a right side view of the right male member of FIG. 18.

1 Claim, 9 Drawing Sheets




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15




FIG. 16




FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23

