



US00D536673S

(12) **United States Design Patent**
Silber

(10) **Patent No.:** **US D536,673 S**

(45) **Date of Patent:** **** *Feb. 13, 2007**

(54) **ELECTRODE**

(75) Inventor: **Daniel A. Silber**, Lexington, MA (US)

(73) Assignee: **Koninklijke Philips Electronics N.V.**,
Eindhoven (NL)

(*) Notice: This patent is subject to a terminal disclaimer.

(**) Term: **14 Years**

(21) Appl. No.: **29/211,402**

(22) Filed: **Aug. 16, 2004**

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/182**

(58) **Field of Classification Search** D13/182;
D24/187; 600/382, 383, 384, 391, 392, 393,
600/372; 607/148, 149, 152, 153
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

4,029,086 A * 6/1977 Corasanti 600/391
5,402,780 A * 4/1995 Faasse, Jr. 600/392

D363,464 S * 10/1995 Fukasawa D13/182
D429,337 S * 8/2000 Sanfilippo D24/187
D471,281 S * 3/2003 Baura et al. D24/187
D475,138 S * 5/2003 Baura et al. D24/187
6,711,427 B1 * 3/2004 Ketelhohn 600/372
D495,055 S * 8/2004 Silber D24/187
6,795,722 B2 * 9/2004 Sheraton et al. 600/391
2002/0183605 A1 * 12/2002 Devlin et al. 600/383

* cited by examiner

Primary Examiner—Selina Sikder


(57) **CLAIM**

The ornamental design of an electrode, as shown.

DESCRIPTION

FIG. 1 is a perspective view of an electrode showing my design;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a left view thereof;
FIG. 5 is a right view thereof;
FIG. 6 is a top view thereof; and,
FIG. 7 is a bottom view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3



FIG. 4



FIG. 5



FIG. 6




FIG. 7