



US00D536788S

(12) **United States Design Patent**  
**Trifilio**

(10) **Patent No.:** **US D536,788 S**

(45) **Date of Patent:** **\*\* Feb. 13, 2007**

(54) **SKIN HEATING DEVICE**

(75) Inventor: **Christian Trifilio**, Minneapolis, MN (US)

(73) Assignee: **Tyrell, Inc.**, Houston, TX (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/243,341**

(22) Filed: **Nov. 21, 2005**

(51) **LOC (8) Cl.** ..... **24-02**

(52) **U.S. Cl.** ..... **D24/133**

(58) **Field of Classification Search** ..... D24/133,  
D24/200, 206, 211, 214, 215; D27/141; D28/9,  
D28/10, 44, 44.1; 607/115, 150; 601/15,  
601/19

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D289,565 S	*	4/1987	Mann	.....	D28/10
D298,458 S	*	11/1988	Margolin et al.	.....	D24/206
D429,371 S	*	8/2000	Matoba	.....	D27/141
D494,313 S	*	8/2004	Wong	.....	D27/141
D502,285 S	*	2/2005	Tufts et al.	.....	D27/141

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

*Assistant Examiner*—Christopher Lee

(74) *Attorney, Agent, or Firm*—Fulbright & Jaworski LLP

(57) **CLAIM**

The ornamental design for a skin heating device, as shown and described.

**DESCRIPTION**

The present application is related to copending and commonly assigned United States design patent application Ser. No. 29/243,342, concurrently filed herewith, the disclosure of which is hereby incorporated herein by reference.

Skin heating devices of embodiments of the present invention provide a portable, self-contained unit for delivering controlled heat therapy to selected areas of a user's skin. Such selected areas of the skin may comprise lesions, disease, rash, etcetera. The controlled heat therapy affords treatment of such lesions, disease, rash, etcetera.

FIG. 1 shows an isometric view of a skin heating device of an embodiment of the present invention in a closed configuration, wherein the user interface control element illustrated in phantom is shown for environment purposes and does not form part of the claimed invention;

FIG. 2 shows a front elevation view of the skin heating device of FIG. 1, it being understood that a back elevation view of the skin heating device is a mirror image of the front elevation view shown in FIG. 2;

FIG. 3 shows a right side elevation view of the skin heating device of FIG. 1;

FIG. 4 shows a left side elevation view of the skin heating device of FIG. 1;

FIG. 5 shows a top plan view of the skin heating device of FIG. 1;

FIG. 6 shows a bottom plan view of the skin heating device of FIG. 1;

FIG. 7 shows an isometric view of a skin heating device of an embodiment of the present invention in an open configuration, wherein the user interface control elements illustrated in phantom are shown for environment purposes and does not form part of the claimed invention;

FIG. 8 shows a front elevation view of the skin heating device of FIG. 7, it being understood that a back elevation view of the skin heating device is a mirror image of the front elevation view shown in FIG. 8 except that the two user interface elements shown in phantom near the heat applicator tip are not present on the back in embodiments of the invention;



FIG. 9 shows a right side elevation view of the skin heating device of FIG. 7;

FIG. 10 shows a left side elevation view of the skin heating device of FIG. 7;


FIG. 11 shows a top plan view of the skin heating device of FIG. 7; and,

FIG. 12 shows a bottom plan view of the skin heating device of FIG. 7.


**1 Claim, 3 Drawing Sheets**




*FIG. 1*




*FIG. 7*




*FIG. 5*




*FIG. 4*




*FIG. 2*




*FIG. 3*




*FIG. 6*




*FIG. 11*




*FIG. 10*



*FIG. 8*



*FIG. 9*



*FIG. 12*

