



US00D536987S

(12) **United States Design Patent** (10) **Patent No.:** **US D536,987 S**
Estabrook et al. (45) **Date of Patent:** **** Feb. 20, 2007**

(54) **SQUEEZE BOTTLE**
(75) Inventors: **Richard M. Estabrook**, Milford, MA (US); **Dennis James Kittel**, Neenah, WI (US)

D436,317 S 1/2001 Jones et al.
D437,559 S 2/2001 Fenton et al.
D441,299 S 5/2001 McAllister
D449,229 S 10/2001 Mohary et al.
D449,994 S 11/2001 Strand et al.
D450,252 S 11/2001 Crawford

(73) Assignee: **Ocean Spray Cranberries, Inc.**, Lakeville-Middleboro, MA (US)

(Continued)

(**) Term: **14 Years**

FOREIGN PATENT DOCUMENTS

(21) Appl. No.: **29/258,283**

GB 3000756 * 12/2002

(22) Filed: **Apr. 20, 2006**

Primary Examiner—Ian Simmons
Assistant Examiner—Dana Sipos
(74) *Attorney, Agent, or Firm*—Nixon & Vanderhye

Related U.S. Application Data

(57) **CLAIM**

(62) Division of application No. 29/217,299, filed on Nov. 16, 2004.

The ornamental design of a squeeze bottle, as shown and described herein.

(51) **LOC (8) Cl.** **09-01**

DESCRIPTION

(52) **U.S. Cl.** **D9/551**

(58) **Field of Classification Search** None
See application file for complete search history.

FIG. 1 is a perspective view from the bottom and left hand side of a bottle according to a first embodiment of the design, including a cap portion;
FIG. 2 is a front view thereof;
FIG. 3 is a rear view thereof;
FIG. 4 is a right side view thereof;
FIG. 5 is a left side view thereof;
FIG. 6 is a top view thereof;
FIG. 7 is a bottom view thereof;
FIG. 8 is a perspective view thereof from the bottom and left side showing the cap in an open position;
FIG. 9 is a perspective view from the bottom and left side of a bottle according to a second embodiment of the design, including a cap portion;
FIG. 10 is a front view thereof;
FIG. 11 is a rear view thereof;
FIG. 12 is a right side view thereof;
FIG. 13 is a left side view thereof;
FIG. 14 is a top view thereof;
FIG. 15 is a bottom view thereof; and,
FIG. 16 is a perspective view thereof from the bottom and left side showing the cap in an open position.


(56) **References Cited**

U.S. PATENT DOCUMENTS

D201,396 S 6/1965 Matthews
D211,319 S 6/1968 Jeronimus
D213,355 S 2/1969 Kneapler
D217,591 S 5/1970 Biscoe
D234,394 S 2/1975 Metzger
D237,461 S 11/1975 Kretz
D254,652 S 4/1980 Shortino
D255,543 S 6/1980 Shortino
D281,861 S * 12/1985 Jones et al. D9/529
D306,701 S 3/1990 Beck
D346,964 S 5/1994 Green
5,417,991 A 5/1995 Green
D365,752 S 1/1996 Flanagan-Boos et al.
D372,199 S 7/1996 Lathrop et al.
D382,209 S 8/1997 Fenton et al.
D386,090 S 11/1997 de Giovellina
D422,506 S 4/2000 Cummings
D428,344 S 7/2000 Preston
D434,663 S 12/2000 Jones et al.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 14 Drawing Sheets



US D536,987 S

Page 2

U.S. PATENT DOCUMENTS

D452,446 S	*	12/2001	Shear	D9/549	D470,043 S	2/2003	Crawford
D457,069 S		5/2002	Palaia		D471,462 S	3/2003	May et al.
D459,659 S		7/2002	Chung		D471,463 S	3/2003	Jones et al.
D459,996 S		7/2002	Kuzma et al.		D476,892 S	7/2003	Martin et al.
D460,348 S		7/2002	Crawford et al.		D480,005 S	9/2003	Conway
D468,214 S	*	1/2003	Kuzma et al.	D9/558	D486,742 S	2/2004	Houghton
D468,639 S		1/2003	Wennerstrom		D497,312 S	10/2004	Anderson et al.
D468,643 S	*	1/2003	Kuzma et al.	D9/552	D505,624 S	5/2005	Helps

* cited by examiner




Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7




Fig. 8




Fig. 9




Fig. 10




Fig. 11




Fig. 12




Fig. 13




Fig. 14




Fig. 15




Fig. 16