

US00D536993S

(12) United States Design Patent (10) Patent No.:

Armstrong et al.

US D536,993 S

(45) Date of Patent: ** Feb. 20, 2007

CARRIER (54)

Inventors: **Daniel Armstrong**, Kaleen (AU); Nicholas Robinson, Kaleen (AU)

Assignee: Bottles of Australia Pty Limited, (73)

Hume Act (AU)

14 Years Term:

Appl. No.: 29/217,450

Nov. 17, 2004 Filed: (22)

Foreign Application Driggity Date (30)

| (30) | Foreign Application Priority Data | | |
|------|-------------------------------------|--------------------|--|
| May | 17, 2004 (AU) | 1844/04 | |
| (51) | LOC (8) Cl | 09-03 | |
| (52) | U.S. Cl | D9/753 | |
| (58) | Field of Classification Search | D9/424, | |
| | D9/751-755; D3/307-3 | 314; 206/150, 151, | |
| | 206/172, 159, 193, 203, 1 | 60–162, 199–201; | |
| | | 220/755, 757 | |
| | See application file for complete s | earch history. | |

(56)**References Cited**

U.S. PATENT DOCUMENTS

| 3,281,010 A | * 10/1966 | Moore et al 206/203 |
|-------------|-----------|-----------------------|
| D208,012 S | * 6/1967 | Gale |
| D208,117 S | * 7/1967 | Andrews |
| 3,587,915 A | * 6/1971 | Theobald 206/201 |
| D237,686 S | * 11/1975 | Torokvei et al D3/309 |
| 4,204,596 A | * 5/1980 | Davis 206/203 |
| D318,552 S | * 7/1991 | Apps |
| D405,006 S | * 2/1999 | Spencer |

^{*} cited by examiner

Primary Examiner—Stella Reid Assistant Examiner—Mark Goodwin (74) Attorney, Agent, or Firm—The Webb Law Firm

(57)**CLAIM**

The ornamental design for a carrier, as shown and described.

DESCRIPTION

FIG. 1 is a front elevational view of a first embodiment for a carrier with six compartments showing our new design, the rear elevational view being a mirror image thereof;

FIG. 2 is a left side elevational view of the embodiment of FIG. 1, the right side elevational view being a mirror image thereof;

FIG. 3 is a top plan view of the embodiment of FIG. 1;

FIG. 4 is a front elevational view of a second embodiment for a carrier with eight compartments showing our new design, the rear elevational view being a mirror image thereof;

FIG. 5 is a left side elevational view of the embodiment of FIG. 4, the right side elevational view being a mirror image thereof;

FIG. 6 is a top plan view of the embodiment of FIG. 4;

FIG. 7 is a bottom plan view of the embodiment of FIG. 4;

FIG. 8 is a perspective view of the embodiment of FIG. 4;

FIG. 9 is a front elevational view of a third embodiment for a carrier with ten compartments showing our new design, the rear elevational view being a mirror image thereof;

FIG. 10 is a left side elevational view of the embodiment of FIG. 9, the right side elevational view being a mirror image thereof;


FIG. 11 is a top plan view of the embodiment of FIG. 9;


FIG. 12 is a front elevational view of a fourth embodiment for a carrier with twelve compartments showing our new design, the rear elevational view being a mirror image thereof;


FIG. 13 is a left side elevational view of the embodiment of FIG. 12, the right side elevational view being a mirror image thereof; and,

FIG. 14 is a top plan view of the embodiment of FIG. 12.

1 Claim, 11 Drawing Sheets










Fig. 3






Fig. 4










Fig. 7










Fig. 10








Fig. 13

