



US00D537015S

(12) **United States Design Patent**
Yang

(10) **Patent No.:** **US D537,015 S**

(45) **Date of Patent:** **** Feb. 20, 2007**

(54) **BUCKLE**

D467,521 S * 12/2002 Yoshiguchi D11/216

D471,131 S * 3/2003 Kawamura D11/216

D479,486 S * 9/2003 Uehara et al. D11/216

(75) Inventor: **Shih-Sheng Yang**, Taipei Hsien (TW)

(73) Assignee: **Universal Trim Supply Co., Ltd.**, Wu Ku Industrial Zone (TW)

* cited by examiner

Primary Examiner—Ralf Seifert

(74) *Attorney, Agent, or Firm*—Troxell Law Office, PLLC

(**) Term: **14 Years**

(21) Appl. No.: **29/256,225**

(57) **CLAIM**

(22) Filed: **Mar. 20, 2006**

The ornamental design for a buckle, as shown and described.

(30) **Foreign Application Priority Data**

DESCRIPTION

Jan. 27, 2006 (TW) 95300493

FIG. 1 is a perspective view of a buckle;

(51) **LOC (8) Cl.** **02-07**

FIG. 2 is a front view thereof;

(52) **U.S. Cl.** **D11/216**

FIG. 3 is a back view thereof;

(58) **Field of Classification Search** None

FIG. 4 is a left side view thereof;

See application file for complete search history.

FIG. 5 is a right side view thereof;

FIG. 6 is a top view thereof; and,


FIG. 7 is a bottom view thereof.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D385,826 S * 11/1997 Anscher D11/216

1 Claim, 5 Drawing Sheets






FIG. 1




FIG. 3




FIG. 2




FIG. 4




FIG. 5




FIG. 7




FIG. 6