



US00D537355S

(12) **United States Design Patent**
Brauner et al.

(10) **Patent No.:** **US D537,355 S**

(45) **Date of Patent:** **** Feb. 27, 2007**

(54) **BOTTLE**

(75) Inventors: **Arne H. Brauner**, Hopkins, MN (US);
Gary L. Mays, Edina, MN (US); **Linae N. Haggerty (Patterson)**, St. Louis Park, MN (US); **John Stockman**, Cambridge, MA (US)

(73) Assignee: **General Mills Cereals, LLC**, Minneapolis, MN (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/245,428**

(22) Filed: **Dec. 22, 2005**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/563**; D9/542

(58) **Field of Classification Search** D9/516,
D9/563, 574, 571, 550, 551, 556, 564, 569,
D9/558, 530, 541, 542, 549, 669, 660, 675,
D9/520; 215/381, 382, 383, 384, 385
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|---------|-----------------|-------|--------|
| D235,032 S | * | 4/1975 | Atkins | | D9/529 |
| D285,174 S | * | 8/1986 | Teschner | | D9/520 |
| D317,121 S | * | 5/1991 | Crawford et al. | | D9/529 |
| D318,037 S | * | 7/1991 | Kipperman | | D9/575 |
| D352,242 S | * | 11/1994 | Crawford et al. | | D9/529 |
| D396,244 S | * | 7/1998 | Venne et al. | | D19/43 |

| | | | | | |
|------------|---|--------|-----------------|-------|---------|
| D419,059 S | * | 1/2000 | Charriez et al. | | D9/624 |
| D427,073 S | * | 6/2000 | Gaffney et al. | | D9/520 |
| D438,801 S | * | 3/2001 | Mohary et al. | | D9/520 |
| D445,692 S | * | 7/2001 | Meeker et al. | | D9/530 |
| D453,373 S | * | 2/2002 | Drake et al. | | D23/366 |
| D471,462 S | * | 3/2003 | May et al. | | D9/529 |
| D488,383 S | * | 4/2004 | Kudo et al. | | D9/522 |
| D491,813 S | * | 6/2004 | Calello | | D9/521 |
| D527,645 S | * | 9/2006 | Pedmo et al. | | D9/542 |

* cited by examiner

Primary Examiner—Prabhakar Deshmukh

Assistant Examiner—Elizabeth J. Oswecki

(74) *Attorney, Agent, or Firm*—John A. O’Toole; Douglas J. Taylor



(57) **CLAIM**

We claim the ornamental design for a bottle, as shown.

DESCRIPTION

FIG. 1 is a perspective view of a bottle, according to the present invention; FIG. 2 is a left side elevational view of the bottle of FIG. 1; FIG. 3 is a right side elevational view of the bottle of FIG. 1; FIG. 4 is a front elevational view of the bottle of FIG. 1; FIG. 5 is a rear elevational view of the bottle of FIG. 1; FIG. 6 is a top plan view of the bottle of FIG. 1; and, FIG. 7 is a bottom plan view of the bottle of FIG. 1. The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 5 Drawing Sheets






Fig. 1




Fig. 2




Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7