



US00D537416S

(12) **United States Design Patent**  
**Fortin et al.**

(10) **Patent No.:** **US D537,416 S**

(45) **Date of Patent:** **\*\* Feb. 27, 2007**

(54) **WIRE CONNECTOR WITH HEXAGONAL SHAPE FLANGE**

(75) Inventors: **Pierre Fortin**, St-Hubert (CA); **Viorel Popovici**, Pointe Claire (CA)

(73) Assignee: **Thomas & Betts International, Inc.**,  
Wilmington, DE (US)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/233,870**

(22) Filed: **Jul. 11, 2005**

(51) **LOC (8) Cl.** ..... **13-03**

(52) **U.S. Cl.** ..... **D13/156**

(58) **Field of Classification Search** ..... D13/129-133,  
D13/150, 154-156, 184; 174/74 R, 74 A,  
174/77 R, 89, 135, 93, 82, 83, 138 F, 188;  
439/278, 296, 310, 345-346, 380, 519, 521,  
439/527, 528, 588-589, 750, 892, 901

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D31,799 S	*	11/1899	Withycombe	.....	D13/130
D196,112 S	*	8/1963	Esser	.....	D13/150
D200,538 S	*	3/1965	Esser	.....	D13/150
3,350,499 A	*	10/1967	Swanson	.....	174/87
D214,446 S	*	6/1969	Swanson	.....	D13/150
3,787,948 A		1/1974	Runge	.....	29/203
D233,992 S	*	12/1974	Swanson	.....	D13/150

4,350,841 A	*	9/1982	Scott	.....	174/87
4,823,650 A		4/1989	Tuttle	.....	81/124
D321,861 S	*	11/1991	Wennemar et al.	.....	D13/150
D330,011 S	*	10/1992	Miller et al.	.....	D13/150
D379,348 S		5/1997	Korinek	.....	D13/150
5,784,935 A		7/1998	Korinek	.....	81/467
D402,629 S	*	12/1998	Benedict	.....	D13/150
D404,714 S	*	1/1999	Axelsson	.....	D13/150
5,910,643 A	*	6/1999	Laine et al.	.....	174/87
6,198,049 B1		3/2001	Korinek	.....	174/87
6,252,170 B1		6/2001	Korinek	.....	174/87
D503,684 S	*	4/2005	Popovici	.....	D13/150

\* cited by examiner

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Rosemary K. Tarcza

(74) *Attorney, Agent, or Firm*—Michael L. Hoelter

(57) **CLAIM**

The ornamental design for a wire connector with hexagonal shape flange, as shown and described.

**DESCRIPTION**


FIG. 1 is a side view of the preferred wire connector of the present invention

FIG. 2 is a bottom perspective view of the wire connector of the present invention.

FIG. 3 is a top plan view of the wire connector of the present invention; and,

FIG. 4 is a bottom plan view of the wire connector of the present invention.

**1 Claim, 3 Drawing Sheets**






FIG. 1




FIG. 2

FIG. 3





FIG. 4