



US00D537417S

(12) **United States Design Patent** (10) **Patent No.:** **US D537,417 S**
Dukerschein et al. (45) **Date of Patent:** **** Feb. 27, 2007**

(54) **WALL MOUNTABLE CONTROLLER**

(75) Inventors: **Jon Dukerschein**, Plano, TX (US);
Jomichael Porter, Addison, TX (US);
Ronnie D. Rowe, Garland, TX (US);
Rashid Skaf, Plano, TX (US)

(73) Assignee: **AMX LLC**, Richardson, TX (US)

(**) Term: **14 Years**

(21) Appl. No.: **29/237,574**

(22) Filed: **Sep. 1, 2005**

(51) **LOC (8) Cl.** **13-03**

(52) **U.S. Cl.** **D13/164**

(58) **Field of Classification Search** D13/162,
D13/164, 169, 170, 171; D10/108, 116, 118;
D8/353; 200/5 A, 293, 296, 297, 329, 333,
200/335, 339, 341, 520, 530, 537, 552; 220/241;
307/125, 139; 315/291-296

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

- D285,066 S * 8/1986 Liss et al. D13/177
- D294,566 S 3/1988 Boytor
- 5,015,829 A * 5/1991 Eilert et al. 235/1 D
- D327,255 S * 6/1992 D'Aleo et al. D13/162
- 5,237,327 A 8/1993 Saitoh et al.
- 5,458,311 A 10/1995 Holbrook
- D365,329 S * 12/1995 Seymour et al. D13/162
- D378,814 S * 4/1997 Adams et al. D13/164
- D380,737 S * 7/1997 Weir et al. D13/162
- D381,590 S 7/1997 Thoeni et al.
- D390,211 S * 2/1998 Yates et al. D14/341
- D400,539 S 11/1998 Hippen

- D404,391 S * 1/1999 Herbstritt et al. D13/162
- D406,830 S * 3/1999 Herbstritt et al. D13/162
- D413,867 S 9/1999 Mullet et al.
- D416,910 S 11/1999 Vasquez
- D423,508 S 4/2000 Nakajima
- 6,114,637 A * 9/2000 Nakao et al. 200/5 R
- D449,789 S 10/2001 Gunji et al.
- D457,502 S * 5/2002 Sykes et al. D13/162
- D464,328 S 10/2002 Vasquez et al.
- D464,948 S 10/2002 Vasquez et al.
- D502,466 S * 3/2005 Aupperle D14/390
- D505,676 S 5/2005 Porter et al.

* cited by examiner

Primary Examiner—Selina Sikder

(74) *Attorney, Agent, or Firm*—Gardere Wynne Sewell LLP


(57) **CLAIM**

The ornamental design for a wall mountable controller, as shown and described.

DESCRIPTION

FIG. 1 is a perspective view of a wall mountable controller in accordance with our invention;
 FIG. 2 is a front elevation view of the wall mountable controller shown in FIG. 1;
 FIG. 3 is a rear elevation view of the wall mountable controller shown in FIG. 1;
 FIG. 4 is a left side view of the wall mountable controller shown in FIG. 1;
 FIG. 5 is a right side view of the wall mountable controller shown in FIG. 1;
 FIG. 6 is a top plan view of the wall mountable controller shown in FIG. 1; and,
 FIG. 7 is bottom plan view of the wall mountable controller shown in FIG. 1.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7