



US00D537743S

(12) **United States Design Patent**
Liu

(10) **Patent No.:** **US D537,743 S**

(45) **Date of Patent:** **** Mar. 6, 2007**

(54) **LEVEL MEASURING DEVICE**

(76) Inventor: **I-Sheng Liu**, No. 11, Lane 67, San Yuan Street, Taoyuan (TW)

(**) Term: **14 Years**

(21) Appl. No.: **29/201,850**

(22) Filed: **Mar. 22, 2004**

(51) **LOC (8) Cl.** **10-04**

(52) **U.S. Cl.** **D10/101**

(58) **Field of Classification Search** D10/101,
D10/96; 73/305, 309

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

1,633,322	A	*	6/1927	Gregory	73/320
3,320,806	A	*	5/1967	Johnson et al.	73/317
3,735,638	A	*	5/1973	Miller	73/304 R
4,480,469	A	*	11/1984	Tice	73/308
5,294,917	A	*	3/1994	Wilkins	340/625
D350,297	S	*	9/1994	Weisel	D10/103
5,427,137	A	*	6/1995	Bowen	137/432
5,485,866	A	*	1/1996	Bowen	137/554
5,524,487	A	*	6/1996	Liu	73/313
D387,295	S	*	12/1997	Krikorian	D10/101
D413,826	S	*	9/1999	Housey et al.	D10/101
6,089,086	A	*	7/2000	Swindler et al.	73/317
D430,050	S	*	8/2000	Housey et al.	D10/101
D431,483	S	*	10/2000	Housey	D10/101
6,523,406	B2	*	2/2003	Housey et al.	73/317
6,675,648	B2	*	1/2004	Housey et al.	73/317
6,848,469	B2	*	2/2005	Vegliante	137/426
6,935,173	B2	*	8/2005	Stehman et al.	73/304 C

* cited by examiner

Primary Examiner—Lucy Lieberman

(74) *Attorney, Agent, or Firm*—Baker & McKenzie LLP

(57) **CLAIM**

The ornamental design for a level measuring device, as shown and described.

DESCRIPTION

FIG. 1 is a top perspective view showing a level measuring device having a float slidably mounted on a mounting pole; FIG. 2 is a bottom perspective view showing the level measuring device of FIG. 1;

FIG. 3 is a front elevational view of the level measuring device of FIG. 1;

FIG. 4 is a rear elevational view of the level measuring device of FIG. 1;

FIG. 5 is a left-side elevational view of the level measuring device of FIG. 1;

FIG. 6 is a right-side elevational view of the level measuring device of FIG. 1;

FIG. 7 is a top view of the level measuring device of FIG. 1;

FIG. 8 is a bottom view of the level measuring device of FIG. 1;


FIG. 9 is a perspective view showing the level measuring device of FIG. 1 with the float at a position different from that in FIG. 1;

FIG. 10 is a perspective view of the mounting pole of the level measuring device of FIG. 1; and,

FIG. 11 is a cross-sectional view of the mounting pole of FIG. 10.

The mounting pole is shown separately in FIGS. 10 and 11 for clarity of illustration.

1 Claim, 5 Drawing Sheets






FIGURE 1




FIGURE 2




FIGURE 3




FIGURE 4




FIGURE 5




FIGURE 6




FIGURE 7




FIGURE 8




FIGURE 9




FIGURE 10




FIGURE 11