

US00D537882S

(12) **United States Design Patent**
McKnight

(10) **Patent No.:** **US D537,882 S**
(45) **Date of Patent:** **** Mar. 6, 2007**

(54) **CONTAINER**

(75) **Inventor:** **Thomas J. McKnight**, Sewickley, PA (US)

(73) **Assignee:** **Moderne Glass Company, Inc.**, Aliquippa, PA (US)

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/210,078**

(22) **Filed:** **Jul. 27, 2004**

(51) **LOC (8) Cl.** **19-06**

(52) **U.S. Cl.** **D19/85; D9/500; D7/523**

(58) **Field of Classification Search** D3/304;
D6/512; D7/523, 528, 603; D9/500-504,
D9/506, 520, 428, 434, 435, 549, 763, 772,
D9/779; D19/65, 75, 77, 81, 82, 83, 84, 85,
D19/95; D26/9, 22; D34/1; 206/214, 224,
206/338, 349, 350, 361, 362, 368, 371, 443,
206/804, 821; D32/53, 53.1, 54; 220/276,
220/655, 656, 657, 660, 23.87, 23.9, 62.22,
220/608, 612, 613, 639; 211/69.1, 69.2, 69.5,
211/69.6, 69.8; 428/34.3, 34.4; 431/291
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|-------------|---|---------|--------------|-------|-----------|
| D2,820 S | * | 11/1867 | Barry | | D9/502 |
| 225,764 A | * | 3/1880 | Reynolds | | 220/23.91 |
| 1,161,012 A | * | 11/1915 | Summers, Jr. | | 220/662 |
| 2,423,708 A | * | 7/1947 | Keogh et al. | | 413/1 |
| 2,626,647 A | * | 1/1953 | Barton | | 222/215 |
| 2,887,244 A | * | 5/1959 | Betner | | 220/257.1 |
| 3,178,087 A | * | 4/1965 | Stump | | 229/4.5 |

| | | | | | |
|-----------------|---|---------|------------------|-------|-----------|
| D203,629 S | * | 2/1966 | Brock | | D9/503 |
| 3,240,035 A | * | 3/1966 | Anderson | | 431/290 |
| 3,409,167 A | * | 11/1968 | Blanchard | | 220/609 |
| 3,445,049 A | * | 5/1969 | Carpenter, Jr. | | 229/5.84 |
| 3,468,048 A | * | 9/1969 | Smith | | 40/107 |
| 3,583,853 A | * | 6/1971 | Schramm | | 431/291 |
| 3,696,987 A | * | 10/1972 | Schuff et al. | | 229/400 |
| D236,440 S | * | 8/1975 | Rendahl | | D9/504 |
| 3,923,190 A | * | 12/1975 | Roth | | 220/611 |
| D243,358 S | * | 2/1977 | Gross | | D11/152 |
| 4,094,407 A | * | 6/1978 | Hurst | | 206/524.3 |
| D265,548 S | * | 7/1982 | Brundige et al. | | D9/780 |
| 4,358,493 A | * | 11/1982 | Ohtsuki et al. | | 428/34.2 |
| D299,426 S | * | 1/1989 | Andersson et al. | | D9/503 |
| 4,921,734 A | * | 5/1990 | Thorpe et al. | | 428/34.4 |
| 5,160,031 A | * | 11/1992 | Palisin et al. | | 206/519 |
| 6,173,858 B1 | * | 1/2001 | Norwood et al. | | 220/613 |
| 6,286,705 B1 | * | 9/2001 | Mihalov et al. | | 220/359.3 |
| D472,427 S | * | 4/2003 | Dretzka | | D7/523 |
| 2004/0065669 A1 | * | 4/2004 | Giraud et al. | | 220/839 |

* cited by examiner

Primary Examiner—Elizabeth A. Albert
(74) *Attorney, Agent, or Firm*—The Webb Law Firm




(57) **CLAIM**

The ornamental design for a container, as shown and described.

DESCRIPTION

FIG. 1 is a front view of the container of the invention; FIG. 2 is a cross-sectional view taken along the lines II—II of FIG. 3; FIG. 3 is a top plan view thereof; and, FIG. 4 is a bottom plan view thereof.

1 Claim, 2 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4