



US00D538164S

(12) **United States Design Patent**
Zach et al.

(10) **Patent No.:** **US D538,164 S**
(45) **Date of Patent:** **** Mar. 13, 2007**

(54) **APPLICATOR**

(75) Inventors: **Steven A. Zach**, Racine, WI (US);
Doraiswami Jaichandra, Racine, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) **Term:** **14 Years**

(21) Appl. No.: **29/254,795**

(22) Filed: **Feb. 28, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/517; D9/549; D9/552; D9/557**

(58) **Field of Classification Search** D9/682,
D9/686-694, 718, 723-724, 905, 516-517,
D9/529-530, 537-540, 548-549, 551-552,
D9/556-558; D1/102-103, 105, 130, 199;
215/12.1-12.2, 382-384; 220/4.27, 23.4,
220/23.83, 561, 761, 766, 770

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D66,788 S	*	3/1925	Curran	D9/551
D88,737 S	*	12/1932	McCormick	D9/564
D310,022 S	*	8/1990	Anderson	D9/688
4,961,521 A	*	10/1990	Eckman	222/142.5
5,099,999 A	*	3/1992	Balien	206/536
D337,274 S	*	7/1993	Thatcher	D9/539
D353,099 S	*	12/1994	Poisson	D9/542
D357,584 S	*	4/1995	Swingler	D3/300
D362,626 S	*	9/1995	Rossi	D9/529
D366,827 S	*	2/1996	Rothman	D9/730
5,709,306 A	*	1/1998	Hofmann	206/536
D437,219 S	*	2/2001	Gallart et al.	D9/428
6,221,407 B1	*	4/2001	Gallart et al.	426/91
D450,591 S	*	11/2001	Escola Gallart et al.	D9/504
D477,529 S	*	7/2003	Chan	D9/668
D482,620 S	*	11/2003	Kleckauskas et al.	D9/530

D493,369 S	*	7/2004	Murphy	D9/529
D511,090 S	*	11/2005	Devine	D9/417
D515,869 S	*	2/2006	Mills et al.	D7/510

FOREIGN PATENT DOCUMENTS

DE	956 298	1/1957
DE	196 18 179 A1	11/1997
EP	457 452 A2	11/1991
EP	1 258 571 A2	11/2002
GB	2127101	4/1984
WO	WO 03/043906 A1	5/2003
WO	WO 2004/043825 A1	5/2004

OTHER PUBLICATIONS

The drawings from U.S. Appl. No. 29/233,723, filed Jul. 8, 2005, by Gerard M. O'Brien.

The drawings from U.S. Appl. No. 29/233,719, filed Jul. 8, 2005, by Gerard M. O'Brien.

* cited by examiner

Primary Examiner—Carol Rademaker

(57) **CLAIM**


The ornamental design for an applicator, as shown and described.

DESCRIPTION

The nature of this product is an applicator refill used in an applicator to apply cleaning and/or disinfecting and/or fragranting adhesive gel to the inside surface of a toilet bowl. FIG. 1 is a bottom, front perspective view of an applicator embodying our new design; FIG. 2 is a bottom, rear perspective view thereof; FIG. 3 is a rear elevational view thereof; FIG. 4 is a front elevational view thereof; FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image thereof; FIG. 6 is a bottom plan view thereof; and, FIG. 7 is a top plan view thereof.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

