



US00D538164S

(12) **United States Design Patent**
Zach et al.

(10) **Patent No.:** **US D538,164 S**
(45) **Date of Patent:** **** Mar. 13, 2007**

(54) **APPLICATOR**

(75) Inventors: **Steven A. Zach**, Racine, WI (US);
Doraiswami Jaichandra, Racine, WI (US)

(73) Assignee: **S.C. Johnson & Son, Inc.**, Racine, WI (US)

(**) **Term:** **14 Years**

(21) Appl. No.: **29/254,795**

(22) Filed: **Feb. 28, 2006**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/517; D9/549; D9/552; D9/557**

(58) **Field of Classification Search** D9/682,
D9/686-694, 718, 723-724, 905, 516-517,
D9/529-530, 537-540, 548-549, 551-552,
D9/556-558; D1/102-103, 105, 130, 199;
215/12.1-12.2, 382-384; 220/4.27, 23.4,
220/23.83, 561, 761, 766, 770

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|--------------|---|---------|-----------------------|-------|-----------|
| D66,788 S | * | 3/1925 | Curran | | D9/551 |
| D88,737 S | * | 12/1932 | McCormick | | D9/564 |
| D310,022 S | * | 8/1990 | Anderson | | D9/688 |
| 4,961,521 A | * | 10/1990 | Eckman | | 222/142.5 |
| 5,099,999 A | * | 3/1992 | Balien | | 206/536 |
| D337,274 S | * | 7/1993 | Thatcher | | D9/539 |
| D353,099 S | * | 12/1994 | Poisson | | D9/542 |
| D357,584 S | * | 4/1995 | Swingler | | D3/300 |
| D362,626 S | * | 9/1995 | Rossi | | D9/529 |
| D366,827 S | * | 2/1996 | Rothman | | D9/730 |
| 5,709,306 A | * | 1/1998 | Hofmann | | 206/536 |
| D437,219 S | * | 2/2001 | Gallart et al. | | D9/428 |
| 6,221,407 B1 | * | 4/2001 | Gallart et al. | | 426/91 |
| D450,591 S | * | 11/2001 | Escola Gallart et al. | | D9/504 |
| D477,529 S | * | 7/2003 | Chan | | D9/668 |
| D482,620 S | * | 11/2003 | Kleckauskas et al. | | D9/530 |

| | | | | | |
|------------|---|---------|--------------|-------|--------|
| D493,369 S | * | 7/2004 | Murphy | | D9/529 |
| D511,090 S | * | 11/2005 | Devine | | D9/417 |
| D515,869 S | * | 2/2006 | Mills et al. | | D7/510 |

FOREIGN PATENT DOCUMENTS

| | | |
|----|-------------------|---------|
| DE | 956 298 | 1/1957 |
| DE | 196 18 179 A1 | 11/1997 |
| EP | 457 452 A2 | 11/1991 |
| EP | 1 258 571 A2 | 11/2002 |
| GB | 2127101 | 4/1984 |
| WO | WO 03/043906 A1 | 5/2003 |
| WO | WO 2004/043825 A1 | 5/2004 |

OTHER PUBLICATIONS

The drawings from U.S. Appl. No. 29/233,723, filed Jul. 8, 2005, by Gerard M. O'Brien.

The drawings from U.S. Appl. No. 29/233,719, filed Jul. 8, 2005, by Gerard M. O'Brien.

* cited by examiner

Primary Examiner—Carol Rademaker

(57) **CLAIM**

The ornamental design for an applicator, as shown and described.

DESCRIPTION

The nature of this product is an applicator refill used in an applicator to apply cleaning and/or disinfecting and/or fragranting adhesive gel to the inside surface of a toilet bowl. FIG. 1 is a bottom, front perspective view of an applicator embodying our new design;

FIG. 2 is a bottom, rear perspective view thereof;

FIG. 3 is a rear elevational view thereof;

FIG. 4 is a front elevational view thereof;


FIG. 5 is a right side elevational view thereof, the left side elevational view being a mirror image thereof;

FIG. 6 is a bottom plan view thereof; and,

FIG. 7 is a top plan view thereof.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4

