

US00D538187S

(12) **United States Design Patent**  
**Liu**

(10) **Patent No.:** **US D538,187 S**

(45) **Date of Patent:** **\*\* Mar. 13, 2007**

(54) **TARGET FOR DISTANCE FINDER**

(75) Inventor: **Yi Liu**, Jiangsu (CN)

(73) Assignee: **Nanjing Chervon Industry Co., Ltd.**,  
Nanjing (CN)

(\*\*) Term: **14 Years**

(21) Appl. No.: **29/243,858**

(22) Filed: **Dec. 1, 2005**

(30) **Foreign Application Priority Data**

Jun. 9, 2005 (CN) ..... 200530084722

(51) **LOC (8) Cl.** ..... **10-04**

(52) **U.S. Cl.** ..... **D10/70**

(58) **Field of Classification Search** ..... D10/66,  
D10/69, 70; 33/276, 277, 281, 285, 286,  
33/290, 291-299, DIG. 21; 340/573.1-573.4,  
340/539, 825.36, 825.46, 825.49, 357.02,  
340/357.07-357.09; 356/5.15, 4.01, 5.01,  
356/5.08, 5.05, 4.05, 5.07, 5.09, 5.12, 28.5,  
356/345, 375, 3.01, 5.06, 128-155, 399,  
356/400; 385/83, 97, 98, 99, 134-139; 701/211-213;  
702/150, 158, 208; 264/1.24-1.25

See application file for complete search history.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

D312,050 S \* 11/1990 Singleton ..... D10/70

D313,361 S \* 1/1991 Robinson ..... D10/70  
D460,367 S \* 7/2002 Apotheloz et al. .... D10/70  
D460,369 S \* 7/2002 Apotheloz et al. .... D10/70  
D472,826 S \* 4/2003 Sanoner ..... D10/70  
D519,045 S \* 4/2006 Wu ..... D10/70  
7,075,626 B2 \* 7/2006 Schmidt et al. .... 356/5.09  
2003/0078755 A1 \* 4/2003 Leutz et al. .... 702/156  
2005/0151957 A1 \* 7/2005 Stierle et al. .... 356/5.15  
2006/0002233 A1 \* 1/2006 Malard ..... 367/128

\* cited by examiner

*Primary Examiner*—Antoine D. Davis

(74) *Attorney, Agent, or Firm*—Butzel Long


(57) **CLAIM**

The ornamental design for a target for distance finder, as shown and described.

**DESCRIPTION**

FIG. 1 is a front elevational view of the design;  
FIG. 2 is a rear elevational view of the target for distance finder in FIG. 1;  
FIG. 3 is a left side elevational view of the target for distance finder in FIG. 1;  
FIG. 4 is a right side elevational view of the target for distance finder in FIG. 1;  
FIG. 5 is a top plan view of the target for distance finder in FIG. 1; and,  
FIG. 6 is a bottom plan view of the target for distance finder in FIG. 1.

**1 Claim, 4 Drawing Sheets**






Fig 1




Fig 2




Fig 3




Fig 4




Fig 5




Fig 6