

US00D538574S

(12) **United States Design Patent**
Eskandry

(10) **Patent No.:** **US D538,574 S**
(45) **Date of Patent:** **** Mar. 20, 2007**

(54) **AUTOMOBILE SEAT COVER**

(76) **Inventor:** **Ezra D. Eskandry**, 3802 NE. 207th St.,
TH-5, Aventura, FL (US) 33180

(**) **Term:** **14 Years**

(21) **Appl. No.:** **29/219,913**

(22) **Filed:** **Dec. 27, 2004**

(51) **LOC (8) Cl.** **06-13**

(52) **U.S. Cl.** **D6/611**

(58) **Field of Classification Search** D6/610,
D6/611; D12/401, 415, 416, 422, 426; 297/219.1,
297/219.11, 219.12, 220, 224, 225, 228.1,
297/228.13, 229

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

D323,757 S	*	2/1992	Beuchan	D6/611
5,275,463 A	*	1/1994	Rocha	297/229
5,379,929 A		1/1995	Eskandry	224/312
5,516,018 A		5/1996	Eskandry	224/312
D373,101 S		8/1996	Eskandry	D12/177
5,618,082 A	*	4/1997	Jachmich	297/229
5,653,364 A		8/1997	Eskandry	224/312
D396,984 S	*	8/1998	Harvey et al.	D6/611
D426,416 S	*	6/2000	Petrishen	D6/611
D430,205 S		8/2000	Eskandry	D19/33
D430,397 S		9/2000	Eskandry	D3/290
D432,981 S		10/2000	Eskandry	D12/417
D433,064 S		10/2000	Eskandry	D19/78
D433,444 S		11/2000	Eskandry	D19/27
D434,366 S		11/2000	Eskandry	D12/417

D434,368 S		11/2000	Eskandry	D12/417
D434,803 S		12/2000	Eskandry	D19/78
D434,901 S		12/2000	Eskandry	D3/284
D435,511 S		12/2000	Eskandry	D12/417
D435,863 S		1/2001	Eskandry	D19/27
D436,916 S		1/2001	Eskandry	D12/417
6,648,410 B2	*	11/2003	Sparks	297/229
D506,345 S	*	6/2005	Bailey et al.	D6/608
D508,360 S	*	8/2005	Inman	D6/611

FOREIGN PATENT DOCUMENTS

GB 2079558 * 3/1999

* cited by examiner

Primary Examiner—Louis S. Zarfes

Assistant Examiner—Anhdao Doan

(74) *Attorney, Agent, or Firm*—Robert C. Kain, Jr.; Fleit Kain



(57) **CLAIM**

The ornamental design for a automobile seat cover, as shown and described.

DESCRIPTION

FIG. 1 is a top view of an automobile seat protector.
FIG. 2 is a bottom view of the automobile seat protector.
FIG. 3 is a left side view of the automobile seat protector, the right side view being a mirror image;
FIG. 4 is a front side view of the automobile seat protector; and,
FIG. 5 is a rear side view of the automobile seat protector.
The cross-hatched shading shown in FIGS. 1–4 is understood to cover the surface on which it is applied.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2



FIG. 3



FIG. 4




FIG. 5