



US00D539085S

(12) **United States Design Patent**  
**Aston, III**

(10) **Patent No.:** **US D539,085 S**  
(45) **Date of Patent:** **\*\* Mar. 27, 2007**

(54) **KNIFE BLADE GRIP HAVING PROTRUSIONS**

JP 2003-236265 8/2003

**OTHER PUBLICATIONS**

(76) Inventor: **Walter Mathew Aston, III**, 6946 Alcove Ave., North Hollywood, CA (US) 91605

“Hold a Knife With a Proper Grip,” 1 page printed from website at www.cutlery.com on Oct. 10, 2005.

“Identify Basic Knife Parts,” 3 pages printed from website at www.cutlery.com on Oct. 10, 2005.

(\*\*) Term: **14 Years**

“Chef’sChoice.com Basic Tips,” 2 pages printed from website at www.edgecraft.com Oct. 10, 2005.

(21) Appl. No.: **29/242,975**

Koetke, “Chef Knives—How to really use them,” 2 pages printed from website at www.cheftalk.com on Oct. 10, 2005.

(22) Filed: **Nov. 16, 2005**

“Basic Knife Techniques,” Cook’s illustrated, Jan./Feb. 1996, pp. 16 and 17.

(51) **LOC (8) Cl.** ..... **07-03**

(52) **U.S. Cl.** ..... **D7/401.2; 8/107**

(58) **Field of Classification Search** ..... D7/401.2, D7/649, 650, 652, 693, 695, 696, 381, 393, D7/395, 396.4, 412; D8/98-100, 107; 30/151-160, 30/123.5, 295, 344; D29/113, 114  
See application file for complete search history.

*Primary Examiner*—Alan P. Douglas

*Assistant Examiner*—Barbara Fox

(74) *Attorney, Agent, or Firm*—Fulwider Patton LLP

(57) **CLAIM**

The ornamental design for a knife blade grip having protrusions, as shown and described.

(56) **References Cited**

**U.S. PATENT DOCUMENTS**

492,409	A	2/1893	May	
605,577	A	* 6/1898	Hutchinson	30/521
649,059	A	5/1900	Kern	
673,506	A	5/1901	Pitts	
682,938	A	9/1901	Ingram	
734,909	A	7/1903	MacLean	
1,491,623	A	4/1924	Pitchur	
1,505,444	A	8/1924	Swanson	
1,750,577	A	3/1930	De Bracht	
2,168,237	A	8/1939	Polacsek	
2,217,100	A	10/1940	Burns	

(Continued)

**FOREIGN PATENT DOCUMENTS**

JP 11-347262 12/1999

**DESCRIPTION**

FIG. 1 is a perspective view of the knife blade grip having protrusions showing my new design;

FIG. 2 is a right side elevational view, the left side being a mirror image;

FIG. 3 is a front elevational view, the rear being a mirror image;


FIG. 4 is a sectional view taken along line 4—4 in FIG. 3;

FIG. 5 is a top plan view; and,

FIG. 6 is a bottom view.

Broken lines appearing in the drawings are intended to be for illustrative purposes only and form no part of the claimed design.

**1 Claim, 2 Drawing Sheets**



# US D539,085 S

Page 2

## U.S. PATENT DOCUMENTS

D131,224 S	1/1942	Parisi		D421,875 S	*	3/2000	Sundberg	.....	D7/401.2	
2,494,306 A	1/1950	Morvey		D425,377 S	*	5/2000	Lion et al.	.....	D7/649	
2,650,424 A	9/1953	Kalmon		D445,643 S		7/2001	Kazaklaris			
D255,974 S	*	7/1980	Jacoby	.....	D456,667 S	*	5/2002	Veltri et al.	.....	D7/387
4,587,735 A	5/1986	Walters et al.		6,381,855 B1	*	5/2002	Lin	.....	30/295	
4,832,604 A	5/1989	Rusk		D461,681 S	*	8/2002	Lothe	.....	D7/401.2	
4,937,941 A	7/1990	Crist		D474,644 S	*	5/2003	Zemel	.....	D7/393	
D391,115 S	2/1998	Roberton		D514,435 S	*	2/2006	Bhavnani	.....	D8/395	
D397,282 S	*	8/1998	Derkatz	.....	2002/0170184 A1	11/2002	Lothe			
5,843,107 A	12/1998	Landis et al.		2004/0123471 A1	7/2004	Onion				
D417,602 S	*	12/1999	Morrison	.....						

\* cited by examiner




FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5



FIG. 6