



US00D539117S

(12) **United States Design Patent**
Sealey et al.

(10) **Patent No.:** **US D539,117 S**
(45) **Date of Patent:** **** Mar. 27, 2007**

(54) **SEAL INSERT**

(75) Inventors: **Derek Alfred Sealey**, Padbury (AU);
Kingsley Bruce Dyson, Lesmurdie (AU)

(73) Assignee: **Freshfield Properites Pty, Ltd.**, Myaree (AU)

(**) Term: **14 Years**

(21) Appl. No.: **29/202,240**

(22) Filed: **Oct. 20, 2004**

(51) **LOC (8) Cl.** **08-05**

(52) **U.S. Cl.** **D8/349**

(58) **Field of Classification Search** D8/360;
D23/259, 269; 474/168–170; 277/500, 360
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

| | | | | | |
|------------|---|--------|-----------|-------|---------|
| D297,707 S | * | 9/1988 | Kanemitsu | | D8/360 |
| D308,013 S | * | 5/1990 | Kanemitsu | | D8/360 |
| D347,378 S | * | 5/1994 | Warner | | D8/360 |
| D379,493 S | * | 5/1997 | Woods | | D23/269 |

| | | | | | |
|------------|---|---------|------------------|-------|---------|
| D402,354 S | * | 12/1998 | Strong et al. | | D23/259 |
| D435,090 S | * | 12/2000 | Stout, Jr. | | D23/269 |
| D442,609 S | * | 5/2001 | Quantz et al. | | D15/123 |
| D447,222 S | * | 8/2001 | Mathers | | D23/269 |
| D515,675 S | * | 2/2006 | Tremoulet et al. | | D23/269 |

* cited by examiner

Primary Examiner—Holly H. Baynham

(74) *Attorney, Agent, or Firm*—Gregory N. Clements; Clements Walker

(57) **CLAIM**

The ornamental design for a seal insert, as shown and described.

DESCRIPTION

FIG. 1 is a plan view of a seal insert showing the new design; FIG. 2 is a side view thereof, the opposite side being a mirror image;

FIG. 3 is a cross-sectional view along line 3—3 of FIG. 1; FIG. 4 is a perspective view thereof showing the top and side; and,

FIG. 5 is a perspective view thereof showing the bottom and side.

1 Claim, 2 Drawing Sheets





Fig. 1





Fig. 2




Fig. 3




Fig. 4




Fig. 5