

US00D539132S

# (12) United States Design Patent (10) Patent No.:

(45) **Date of Patent:** Aoki

US D539,132 S

\*\* Mar. 27, 2007

## MAGNETIC FASTENER

- Inventor: Yoshihiro Aoki, Tokyo (JP)
- Assignee: Application Art Laboratories Co.,

Ltd., Tokyo (JP)

- 14 Years Term:
- Appl. No.: 29/241,068
- Oct. 24, 2005 (22)Filed:

# Related U.S. Application Data

(62)Division of application No. 29/222,799, filed on Feb. 4, 2005, now Pat. No. Des. 518,707, which is a division of application No. 29/187,578, filed on Aug. 5, 2003, now Pat. No. Des. 504,311, which is a division of application No. 29/147,797, filed on Sep. 7, 2001, now Pat. No. Des. 481,298.

#### Foreign Application Priority Data (30)

Mar. 8, 2001	(JP)	
Mar. 8, 2001	(JP)	
May 29, 2001	(JP)	
(51) <b>LOC (8)</b>	<b>Cl.</b>	
(52) <b>U.S. Cl.</b>		
(58) Field of	Classi	ification Search
	$\mathbf{D}_{\mathbf{i}}$	8/331; D11/205–220, 331; 24/94, 303,
		24/688; 292/251.5; 63/29.2; 294/65.5
See appli	cation	file for complete search history.

#### (56)**References Cited**

# U.S. PATENT DOCUMENTS

D335,266	S	5/1993	Morita	 D11/231
12333,200		ンパエノノン	14101166	

D412,865	S	8/1999	Aoki
D425,780	S	5/2000	Aoki
D426,765	S	6/2000	Aoki
D452,137	S	12/2001	Aoki
D452,813	S	1/2002	Morita
D454,482	S	3/2002	Morita D8/382
D457,834	S	5/2002	Morita D11/220
D462,255	S	9/2002	Aoki
D481,298	S	10/2003	Aoki
D482,266	S	* 11/2003	Aoki
D506,921	S	* 7/2005	Aoki
D511,449	S	* 11/2005	Aoki

<sup>\*</sup> cited by examiner

L.L.P.


Primary Examiner—Catherine R. Oliver (74) Attorney, Agent, or Firm—Wenderoth, Lind & Ponack,

#### (57)CLAIM

The ornamental design for a magnetic fastener, as shown and described.

### DESCRIPTION

- FIG. 1 is a front elevational view of a first embodiment of the magnetic fastener, the rear elevational view being identical;
- FIG. 2 is a top plan view of FIG. 1
- FIG. 3 is a bottom plan view of FIG. 1;
- FIG. 4 is a left side elevational view of FIG. 1, the right side elevational view being identical;
- FIG. 5 is a front elevational view of the front member of FIG. 1, shown with the rear member removed, the rear elevational view being identical;
- FIG. 6 is a top plan view of FIG. 5;
- FIG. 7 is a bottom plan view of FIG. 5;
- FIG. 8 is a left side elevational view of FIG. 5, the right side elevational view being identical;
- FIG. 9 is a front elevational view of the rear member of FIG.
- 1, shown with the front member removed, the rear elevational view being identical;
- FIG. 10 is a top view of FIG. 9;
- FIG. 11 is a bottom plan view of FIG. 9;
- FIG. 12 is a left side elevational view of FIG. 9, the right side elevational view being identical;



- FIG. 13 is a left side elevational view of FIG. 9, the right side elevational view being identical;
- FIG. 14 is a top plan view of FIG. 13;
- FIG. 15 is a bottom plan view of FIG. 13;
- FIG. 16 is a left side elevational view of FIG. 13, the right side elevational view being identical;
- FIG. 17 is a front elevational view of the front member of
- FIG. 13, shown with the rear member removed, the rear elevational view being identical;
- FIG. 18 is a top plan view of FIG. 17;
- FIG. 19 is a bottom plan view of FIG. 17;
- FIG. 20 is a left side elevational view of FIG. 17, the right side elevational view being identical;
- FIG. 21 is a front elevational view of the rear member of
- FIG. 13, shown with the front member removed, the rear elevational view being identical;
- FIG. 22 is a top plan view of FIG. 21;
- FIG. 23 is a bottom plan view of FIG. 21;
- FIG. 24 is a left side elevational view of FIG. 21, the right side elevational view being identical;
- FIG. 25 is a front elevational view of a magnetic fastener showing the third embodiment of the design, the rear elevational view being identical;
- FIG. 26 is a top plan view of FIG. 25;
- FIG. 27 is a bottom plan view of FIG. 25;
- FIG. 28 is a left side elevational view of FIG. 25, the right side elevational view being identical;
- FIG. 29 is a front elevational view of the front member of FIG. 25, shown with the rear member removed, the rear elevational view being identical;
- FIG. 30 is a top plan view of FIG. 29;
- FIG. 31 is a bottom plan view of FIG. 29;

- FIG. 32 is a left side elevational view of FIG. 29, the right side elevational view being identical;
- FIG. 33 is a front elevational view of the rear member of
- FIG. 25, shown with the front member removed, the rear elevational view being identical;
- FIG. 34 is a top plan view of FIG. 33;
- FIG. 35 is a bottom plan view of FIG. 33;
- FIG. 36 is a left side elevational view of FIG. 33, the right side elevational view being identical;
- FIG. 37 is a front elevational view of a magnetic fastener showing the fourth embodiment of the design, the rear elevational view being identical;
- FIG. 38 is a top plan view of FIG. 37;
- FIG. 39 is a bottom plan view of FIG. 37;
- FIG. 40 is a left side elevational view of FIG. 37, the right side elevational view being identical;
- FIG. 41 is a front elevational view of the front member of
- FIG. 37, shown with the rear member removed, the rear elevational view being identical;
- FIG. 42 is a top plan view of FIG. 41;
- FIG. 43 is a bottom plan view of FIG. 41;
- FIG. 44 is a left side elevational view of FIG. 41, the right side elevational view being identical;
- FIG. 45 is a front elevational view of the rear member of
- FIG. 37, shown with the front member removed, the rear elevational view being identical;
- FIG. 46 is a top plan view of FIG. 45;
- FIG. 47 is a bottom plan view of FIG. 46; and,
- FIG. 48 is a left side elevational view of FIG. 45, the right side elevational view being identical.

# 1 Claim, 12 Drawing Sheets

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5

Mar. 27, 2007




FIG. 6




FIG. 7




FIG. 8




FIG. 9




FIG. 10




FIG. 11




FIG. 12




FIG. 13




FIG. 14




FIG. 15





FIG. 16



US D539,132 S

FIG. 17




FIG. 18




FIG. 19




FIG. 20




FIG. 21




FIG. 22




FIG. 23




FIG. 24




FIG. 25




FIG. 26




FIG. 27




FIG. 28




FIG. 29

Mar. 27, 2007




FIG. 30




FIG. 31




FIG. 32




FIG. 33




FIG. 34




FIG. 35




FIG. 36




FIG. 37




FIG. 38




FIG. 39




FIG. 40




FIG. 41




FIG. 42




FIG. 43




FIG. 44




FIG. 45




FIG. 46




FIG. 47




FIG. 48

