



US00D539147S

(12) **United States Design Patent**
O'Brien

(10) **Patent No.:** **US D539,147 S**

(45) **Date of Patent:** **** Mar. 27, 2007**

(54) **APPLICATOR REFILL**

(75) Inventor: **Gerard Michael O'Brien,**
Hertfordshire (GB)

(73) Assignee: **S.C. Johnson & Son, Inc.,** Racine, WI
(US)

(**) Term: **14 Years**

(21) Appl. No.: **29/233,719**

(22) Filed: **Jul. 8, 2005**

(51) **LOC (8) Cl.** **09-01**

(52) **U.S. Cl.** **D9/516; D9/549; D9/552;**
D9/557

(58) **Field of Classification Search** D9/600,
D9/631, 667, 682, 686, 688-691, 693, 500,
D9/502-505, 516, 529-530, 537-540, 544-545,
D9/549, 552, 556, 558, 565, 572-574; 215/382-384,
215/396, 398; 220/660, 669, 675; 222/210,
222/212-213; D7/509-512; D19/66, 68

See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

3,926,343	A	12/1975	Kleiner	
D249,868	S	* 10/1978	Russert	D9/730
4,252,507	A	2/1981	Knickerbocker	
4,273,257	A	6/1981	Smith et al.	
4,445,626	A	5/1984	Steffen et al.	
4,485,943	A	12/1984	Czech	
4,694,977	A	9/1987	Graf et al.	
D303,627	S	* 9/1989	Wilkinson	D9/689
4,944,430	A	7/1990	Graf et al.	
D310,022	S	* 8/1990	Anderson	D9/688
4,962,868	A	10/1990	Borchard	
D318,731	S	* 7/1991	Chapin	D24/198
5,141,129	A	* 8/1992	Jennings	221/154
5,219,448	A	6/1993	Hackmann	
D366,827	S	* 2/1996	Rothman	D9/730
5,709,306	A	* 1/1998	Hofmann	206/536
D406,172	S	* 2/1999	Kuboshima	D19/66
5,876,137	A	* 3/1999	Byrd	401/78
D425,411	S	* 5/2000	May	D9/730
D428,656	S	* 7/2000	Alexander et al.	D24/197

D433,707	S	* 11/2000	Vanini et al.	D19/66
D434,800	S	* 12/2000	Vanini et al.	D19/66
6,273,152	B1	8/2001	Buehler et al.	
D461,502	S	* 8/2002	Horie	D19/66
D461,503	S	* 8/2002	Horie	D19/66
D468,640	S	* 1/2003	Mitchell et al.	D9/503
6,667,286	B1	12/2003	Dettinger et al.	
D511,090	S	* 11/2005	Devine	D9/417
D511,687	S	* 11/2005	Bretz et al.	D9/558
D513,187	S	* 12/2005	Ruiz	D9/540

FOREIGN PATENT DOCUMENTS

DE	956 298	1/1957
DE	44 36 286 A1	4/1996
DE	196 18 179 A1	11/1997
EP	0 457 452 A2	11/1991
EP	1 258 571 A2	11/2002
WO	WO 03/043906 A1	5/2003
WO	WO 2004/043825 A1	5/2004

* cited by examiner

Primary Examiner—Carol Rademaker

(57) **CLAIM**

The ornamental design for an applicator refill, as shown and described.

DESCRIPTION

The nature of this product is an applicator refill used in an applicator for applying cleaning gel and/or disinfecting and/or fragrancng adhesive gel to the inside surface of a toilet bowl.

FIG. 1 is a top, front, right, perspective view of an applicator refill embodying our new design;

FIG. 2 is a top, rear, left, perspective view thereof;

FIG. 3 is a front elevational view thereof;

FIG. 4 is a rear elevational view thereof;

FIG. 5 is a right side elevational view thereof;


FIG. 6 is a left side elevational view thereof;

FIG. 7 is a top plan view thereof; and,

FIG. 8 is a bottom plan view thereof.

The broken lines shown in the drawings are for illustrative purposes only and form no part of the claimed design.

1 Claim, 3 Drawing Sheets






FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5




FIG. 6




FIG. 7




FIG. 8